

1. Which of the following is not a characteristic of a conceptual data model:
  - A. Data objects
  - B. Properties of data objects
  - C. Implementation details
  - D. Relationships between objects and cardinalities of relationships
  
2. John has been told to report to the board of directors with a vendor-neutral enterprise architecture framework that will help the company reduce fragmentation that results from misalignment of IT and business processes. Which of the following frameworks should he suggest?
  - A. DoDAF
  - B. CMMI
  - C. ISO/IEC 42010
  - D. TOGAF
  
4. What takes place at the data link layer?
  - A. End-to-end connection
  - B. Dialog control
  - C. Framing
  - D. Data Syntax
  
5. A characteristic of User Datagram Protocol (UDP) in network communications is:
  - A. Packets may arrive out of order
  - B. Increased communication latency
  - C. Incompatibility with packet broadcast
  - D. Error correction may slow down processing
  
6. Systems that are built on the OSI framework are considered open systems. What does this mean?
  - A. They are built with international protocols and standards so they can choose what types of systems they will communicate with.
  - B. They are built with internationally accepted protocols and standards so they can easily communicate with other systems.
  - C. They do not have authentication mechanisms configured by default.
  - D. They have interoperability issues.
  
7. Which of the following protocols work in the following layers: application, data link, network, and transport?
  - A. FTP, ARP, TCP, and UDP
  - B. FTP, ICMP, IP, and UDP
  - C. TFTP, RARP, IP, and ICMP
  - D. TFTP, ARP, IP, and UDP
  
8. Which best describes the IP protocol?
  - A. A connection-oriented protocol that deals with the addressing and routing of packets
  - B. A connection-oriented protocol that deals with sequencing, error detection, and flow control
  - C. A connectionless protocol that deals with the addressing and routing of packets
  - D. A connectionless protocol that deals with dialog establishment, maintenance, and destruction

9. Which of the following OSI layers includes protocols that handle encryption, compression, and processing based on file format extensions?
- A. Layer 8 - User
  - B. Layer 7 - Application
  - C. Layer 6 - Presentation
  - D. Layer 2 - Data Link
10. Use the following scenario to answer this question: Don is a security manager of a large medical institution. One of his groups develops proprietary software that provides distributed computing through a client/server model. He has found that some of the systems that maintain the proprietary software have been experiencing half-open denial-of-service attacks. Some of the software is antiquated and still uses basic remote procedure calls, which has allowed for masquerading attacks to take place.
- What should Don's team put in place to stop the masquerading attacks that have been taking place?
- A. Dynamic packet filter firewall
  - B. Secure RPC
  - C. ARP spoofing protection
  - D. Disable unnecessary ICMP traffic at edge routers
11. Layer 2 of the OSI model has two sublayers. What are those sublayers, and what are two IEEE standards that describe technologies at that layer?
- A. LCL and MAC; IEEE 802.2 and 802.3
  - B. LCL and MAC; IEEE 802.1 and 802.3
  - C. Network and MAC; IEEE 802.1 and 802.3
  - D. LLC and MAC; IEEE 802.2 and 802.3
12. An information system contains three information types, each with impact ratings listed below:  
Information Type 1 = {(Confidentiality, MODERATE), (Integrity, LOW), (Availability, LOW)}  
Information Type 2 = {(Confidentiality, LOW), (Integrity, LOW), (Availability, MODERATE)}  
Information Type 3 = {(Confidentiality, LOW), (Integrity, LOW), (Availability, LOW)}
- What is the security categorization of the information system?
- A. {(Confidentiality, MODERATE), (Integrity, LOW), (Availability, LOW)}
  - B. {(Confidentiality, LOW), (Integrity, LOW), (Availability, MODERATE)}
  - C. {(Confidentiality, LOW), (Integrity, LOW), (Availability, LOW)}
  - D. None of the above
13. Which of the following protocols is considered connection-oriented?
- A. ICMP
  - B. TCP
  - C. IP
  - D. UDP