Managing Enterprise Cybersecurity MIS 4596

Unit #10

Agenda

- Public Key Infrastructure
- Digital Certificate
- Public key Certificates
- Roles in PKI: Certificate Authority (CA)
- Roles in PKI: Registration Authority (RA)
- PKI Steps
- Chain of Trust
- Root Programs
- Certificate Revocation List (CRL)
- PKI Roles / Workflows...

Public Key Infrastructure (PKI)

Public key cryptography enables entities previously unknown to each other to verify the identity of each other, validate the information being transferred, and securely communicate on an insecure public network

• Public key infrastructure

- Enables online activities requiring more trust and proof of identity than simple passwords
- Provides a hierarchy of trust relationships that:
 - Enable knowing a public key really belongs to the person/system you want to communicate with
 - Are necessary for hybrid cryptography
 - Facilitate secure electronic transfer of information for a range of network activities such as ecommerce, internet banking and confidential email

Public Key Infrastructure (PKI)

Is a system for creating, storing, distributing, validating, revoking and managing **digital certificates** used to verify the identity the owner of a public key contained within the certificate

- Assumes
 - Receiver's and Sender's identities can be positively ensured through digital certificates
 - Asymmetric algorithm will automatically carry out the process of key exchange
- Contains components that
 - Identify users
 - Creates and distributes certificates
 - Maintains and revokes certificates
 - Distributes and maintains encryption keys
 - Enables information technologies to communicate and work together to achieve confidentiality, authentication, integrity, and non-repudiation

Public Key Infrastructure (PKI)


Consists of:

- Public key certificates ("digital certificates") are electronic documents used to prove the ownership of public keys
- Roles
 - Certificate Authorities (CA) store, issue and sign the digital certificates
 - Registration Authorities (RA) verify identities of entities requesting their digital certificates be stored at the CA
- Technologies
 - Central directory provides a secure location in which keys are stored and indexed
 - Certificate management system
 - Creates and delivers new certificates to be issued
 - Searches, retrieves and accesses to stored certificates
- Certificate policy states procedures for allowing outsiders to analyze the PKI's trustworthiness

Digital Certificate

One of the most important pieces of a PKI

 Associates a public key with information for uniquely identifying its owner



 X.509 standard defines the format of public key certificates used in many Internet cryptographic protocols for HTTPS for servers & clients, secure email, code signing, digital signatures...

Public Key Certificate

Electronic documents used to prove ownership of a public key

A certificate includes the following common fields:

- Information about the certificate
 - Serial Number: Used to uniquely identify the certificate
 - Issuer: Entity that verified the information and signed the certificate
 - Signature Algorithm: The algorithm used to sign the public key certificate
 - Signature: A signature of the certificate body by the issuer's private key
- Information about the public key
 - Not Before: Earliest time and date on which the certificate is valid.
 - Not After: Time and date past which the certificate is no longer valid
 - **Key Usage**: Valid cryptographic uses of the certificate's public key, e.g. digital signature validation, key encipherment, and certificate signing
 - Extended Key Usage: Applications the certificate may be used for, e.g. TLS server authentication, email protection, code signing, or electronic signature
- Information about the identity of its owner (called the subject)
 - Subject: Entity a certificate belongs to, e.g. individual, machine, or organization




Figure 3-47 Each certificate has a structure with all the necessary identifying information in it.

Certificate

T

Temple University × +	Certificate	N ×	Certificate	×
→ C temple.edu	General Details Certification Path	63	General Details Certification Pa	ath
Connection is secure Your information (for example, passwords or credit card numbers) is private when it is sent to this site. Learn more	Certificate Information		Show: <all></all>	Value ^
 Certificate (Valid) Issued to: Temple University [US] Cookies (33 in use) Site settings 	This certificate is intended for the followin • Ensures the identity of a remote compute • Proves your identity to a remote compute • 1.3,6,1.4,1.4146,1.1 • 2.23,140,1.1 * Refer to the certification authority's statement	er	Version Serial number Signature algorithm Signature hash algorithm Signature for the series of the s	V3 1f37f31afb5c7fd9cc9c5963 sha256RSA sha256 GlobalSign Extended Validation Friday, October 11, 2019 1:20 Tuesday, August 17, 2021 11:
	Issued to: www.temple.edu Issued by: GlobalSign Extended Validatio	20 CA - SHAJES - C2	Subject	www.temple.edu.Temple.Liniv
	Valid from 10/11/2019 to 8/17/2021	JII CA - 3HA230 - 63		
		Issuer Statement		Edit Properties Copy to File
		ОК	1	ОК

Temple University X +	Certificate	Certificate	×	Field	Value
← → C Atemple.edu	General Details Certification Path				
Connection is secure environment of the secure environment of the secure environment of the secure environment is sent to this site.	Certificate Information This certificate is intended for the following purpose(s): Ensures the identity of a remote computer Proves your identity to a remote computer 13.6.14.14.16.11	General Details Certification Path Show: <all></all>		Version Serial number Signature algorithm Signature hash algorithm	V3 1f37f31afb5c7fd9cc9c5963 sha256RSA sha256
Certincate (viaid) Issued to: Temple University (US) Cookies (33 in use) Site settings	1.3.6.1.4.1.4146.1.1 2.23.140.1.1 *Refer to the certification authority's statement for details. Issued to: www.temple.edu Issued by: GlobalSign Extended Validation CA - SHA256 - G3 Valid from 10/11/2019 to 8/17/2021 Issuer Statement OK	Field Value Version V3 Serial number 1f37f31afb5c7fd9cc9c5963 Signature algorithm sha256RSA Signature hash algorithm sha256 Issuer GlobalSign Extended Validation Valid from Friday, October 11, 2019 1:20 Valid to Tuesday, August 17, 2021 11 Subject wwww_temple_edu_Temple 1 Init Edit Properties Copy to F	0	Issuer Valid from Valid to Valid to Subject Public key Public key parameters Authority Information Access Certificate Policies Basic Constraints CRL Distribution Points Subject Alternative Name Subject Alternative Name Authority Key Usage Authority Key Identifier Subject Key Identifier Subject Key Identifier	GlobalSign Extended Validation Friday, October 11, 2019 1:20 Tuesday, August 17, 2021 11: www.temple.edu, Temple Univ RSA (4096 Bits) 05 00 [1]Authority Info Access: Acc [1]Certificate Policy:Policy Ide Subject Type=End Entity, Pat [1]CRL Distribution Point: Distr DNS Name=www.temple.edu, Server Authentication (1.3.6 KeyID=ddb3e76da82ee8c54e 29101c3718dc435bcaef03c98 v1, bbd9dfbc1f8a71b5939423
			ОК	Key Usage	Digital Signature, Key Encipher c64a55922cd1c9a7c5fb5616c

•

🗧 Certificate		×			
General Details Certification	Path				
Show: <all></all>	\sim				
Field	Value	^			
📺 Version	V3				
🛅 Serial number	1f37f31afb5c7fd9cc9c5963				
🔄 Signature algorithm	sha256RSA				
🛅 Signature hash algorithm	sha256				
🗐 Issuer	GlobalSign Extended Validation				
🔄 Valid from 🟑	Friday, October 11, 2019 1:20				
Valid to Tuesday, August 17, 2021 11:					
Subject	www.temple.edu_Temple.Univ	~			
CN = GlobalSign Extended Valid O = GlobalSign nv-sa C = BE					
	Edit Properties Copy to File				
	ОК	:			

~~				\times	
General	Details	Certification Pat	th	12	
Show:	<all></all>		~		
Field			Value		^
Sig Sig Sig Val	nature ha uer id from	-	sha256 GlobalSign Exten Friday, October	11, 2019 1:20	
				-	
		arameters			~
O = Ter STREET L = Phil S = Per C = US 1.3.6.1 1.3.6.1	mple Univ F = 1801 adelphia nnsylvania 1.4.1.311. 1.4.1.311.	ersity North Broad Stree 60.2.1.2 = Penn 60.2.1.3 = US			<
			Edit Properties	Copy to File	
				O	к

<u>ू</u> Certifi	icate													×
General	Detail	s C	ertific	atior	n Path	n								
Show:	<all></all>							\sim						
Field						Va	lue						^	
📴 Va									-			11:		
	bject									, Tem	ple U	niv		
	blic key blic key		mete				A (40 00)96 B	its)					
🔄 🔂 Au	blic key thority	Infor	matio		cess	[1]	Auth				ss: A			
	rtificate sic Cons									· ·	olicy I ity, P			
	I Distri			nte			-				nt: Di		۷	
30 8 4e 4	2 01		02 ЪЗ	82 21	02 f8		00 2e		e6		85 d7		^	
45 e af f	1 13	Ъf 98	a7 44	39 46	36 af	5b ad	7d	02 be	50 76	d2 00	ad fb	ō2		
8e 9 9f d	5 eb	81 e6	11 1e	4Ъ 04	3d a6	1a 9f	59	77 54	10 cf	9Ъ f6	41 9d			
3f 3		с3 1Ъ	32 53	49 92	$\frac{1c}{d5}$	08 f 2	94 49	08 6Ъ	47 29	Ъ9 5d	cd 11	с0 d7		
c5 4		03	e8	1a	48	<u>c</u> 3	77	5c	25	1e	17	e9	۷	
					Е	dit Pr	oper	ties		Co	opy to	o File		
												O	к	

Text ▼ 30 82 02 0a 02 82 02 01 00 de 95 1f 85 5 21 f8 4a 2e c8 e6 9a d7 0a 45 ec f5 bf a 50 d2 ad 1f af f1 13 98 44 46 af ad 7d b 9e 5c 81 11 4b 3d 1a af 77 10 9b 41 cd 9 a6 9f 59 54 cf f6 9d 92 3f 33 4d c3 32 4 b9 cd c0 02 e5 24 1b 53 92 d5 f2 49 6b 2 ef 03 e8 1a 48 c3 77 5c 25 1e 17 e9 96 8 3e 82 a6 b0 30 37 18 c1 ab 6c 1e 50 c4 9 81 86 f0 e5 94 bb ef b9 04 5b dd 0a 63 e 92 8a a7 92 ea b1 96 4f 89 c1 58 38 34 7 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c a7 b9 74 ff 48 e7 f2 2d 52 a2 9f 96 b0 b 72 96 3b 3e bb ee 5e af d4 bd ce 78 09 7 ca 0c f4 4b 91 93 ed 68 ca 5d 19 00 31 9 b7 dc 83 82 1e c9 fd 4f 24 40 c8 23 55 4 6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 e4 6 4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b a 6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b 1e 32 4f f5 fe f9 6e c4 27 37 cc be 09 e 4d a3 d7 b9 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6 b e1 a9 f6 3f db 1d a5 06 92 3c ce c9 d5 d		:
21 f8 4a 2e c8 e6 9a d7 0a 45 ec f5 bf a 50 d2 ad lf af f1 13 98 44 46 af ad 7d b 9e 5c 81 11 4b 3d 1a af 77 10 9b 41 cd 9 a6 9f 59 54 cf f6 9d 92 3f 33 4d c3 32 44 b9 cd c0 02 e5 24 1b 53 92 d5 f2 49 6b 2 ef 03 82 a6 b0 30 77 fc 25 1e 17 e9 96 83 84 47 a6 e6 e6 16 16 22 a6 a6 e6 e6 a6		
50 d2 ad 1f af f1 13 98 44 46 af ad 7d b 9e 5c 81 11 4b 3d 1a af 77 10 9b 41 cd 9 a6 9f 59 54 cf f6 9d 92 3f 33 4d c3 32 44 b9 cd 00 2 es 24 1b 53 92 d5 f2 49 6b 2 ef 03 e8 1a 48 c3 77 5c 25 1e 17 e9 96 8 3e 82 a6 b0 30 37 18 c1 ab 6c 1e 50 c4 9 83 34 7 af e4 c3 a7 e0 de 9f 32 82 80 63 59 6 ca a a a a a a a a	4 4e 42 01	2b b3
9e 5c 81 11 4b 3d 1a af 77 10 9b 41 cd 9 a6 9f 59 54 cf 66 9d 92 3f 33 4d c3 32 44 b9 cd 00 2 e5 24 1b 53 92 d5 f2 49 6b 2 ef 03 e8 1a 48 c3 77 5c 25 1e 17 e9 68 3e 82 a6 b0 30 37 18 c1 ab 6c 1e 50 c4 9 81 86 f0 e5 ad b1 64 89 c1 58 38 47 7 af e4 c3 a7 e0 dd e6 38 34 7 af e4 e3 a7 e6 e6 s6	7 39 36 5b	81 02
a6 9f 59 54 cf 6 9d 92 3f 33 4d c3 32 4 b9 cd c0 02 e5 24 1b 53 92 d5 f2 49 6b 2 ef 03 e8 1a 48 c3 77 5c 25 1e 17 e9 96 8 3e 82 a6 b0 30 37 18 c1 ab 6c 1e 50 c4 98 81 86 f0 e5 94 bb ef b9 04 5b dd 0a 63 e 92 8a a7 92 ea b1 96 4f 89 c1 58 38 34 7 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 cc a7 b9 74 ff 48 e7 f2 <t< th=""><th>e 76 00 fb</th><th>02 8e</th></t<>	e 76 00 fb	02 8e
b9 cd 00 2 e5 24 1b 53 92 d5 f2 49 6b 2 ef 03 e8 1a 48 c3 77 5c 25 1e 17 e9 96 8 3e 82 a6 b0 30 37 18 c1 ab 6c 1e 50 c4 9 81 86 f0 e5 94 bb ef b9 04 5b dd oa a3 e 92 8a a7 92 ea b1 96 4f 89 c1 58 38 34 7 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 cc a7 b9 74 ff 48 e7 f2 2d 52 a2 97 66 c6 37 76 66 67 24 60 31 97 ca <td< td=""><td>f d5 eb e6</td><td>le 04</td></td<>	f d5 eb e6	le 04
ef 03 e8 1a 48 c3 77 5c 25 1e 17 e9 96 8 3e 82 a6 b0 30 37 18 c1 ab 6c 1e 50 c4 99 81 86 f0 e5 94 bb ef b9 04 5b dd 0a 63 e 92 8a a7 92 ea b1 96 4f 89 c1 58 38 34 7 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c5 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c0 a7 b9 74 ff 48 e7 f2 2d 52 a2 9f 66 b0 f5 ca a7 b9 74 f4 b9 f3 28 f3 <	9 lc 08 94	08 47
3e 82 a6 b0 30 37 18 c1 ab 6c 1e 50 c4 90 81 86 f0 e5 94 bb ef b9 04 5b dd 0a 63 e 92 8a a7 92 ea b1 96 4f 89 c1 58 38 34 7 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c a7 b9 74 ff 48 e7 f2 2d 52 a2 9f 96 b0 b c3 b0 34 be e5 af d4 bd ce 78 97 7 ca a2 9f d6 da ca ca ca ca ca <td< td=""><td>9 5d 11 d7</td><td>c5 43</td></td<>	9 5d 11 d7	c5 43
81 86 f0 e5 94 bb ef b9 04 5b dd 0a 63 e 92 8a a7 92 ea b1 96 4f 89 c1 58 38 34 7 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c a7 b9 74 ff 48 e7 f2 2d 52 a2 9f 96 b0 b 72 96 3b 3e bb ee 5e af d4 bd ce 78 09 7 ca 0c f4 4b 91 93 ed 68 ca 5d 19 00 31 9 b7 dc 83 82 1e c9 fd 4f 24 40 c8 23 55 4 6c 32 55 4 6c 32 55 4 6c	b 1f c8 05	7f 64
92 8a a7 92 ea b1 96 4f 89 c1 58 38 34 7 af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c a7 b9 74 ff 48 e7 f2 2d 52 a2 9f 96 b0 b 72 96 3b 3e bb ee 5e af d4 bd ce 78 09 7 ca 0c f4 4b 91 93 ed 68 ca 5d 19 00 31 9 b7 dc 83 82 1e c9 fd 4f 24 40 c8 23 55 4 6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 44 68 46 62 2 2 c5 64 47 3a 2	d dc 7d df	51 7c
af e4 c3 a7 e0 dd e9 f3 28 98 06 35 96 c a7 b9 74 ff 48 e7 f2 2d 52 a2 9f 96 b0 b 72 96 3b 3e bb ee 5e af d4 bd ce 78 09 7 ca 0c f4 4b 91 93 ed 68 ca 5d 19 00 31 9 b7 dc 83 82 le c9 fd 4f 24 40 c8 23 55 4 6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 e4 6 4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b a 6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b 1e 32 4f f5 fe f9 6e c4 27 37 cc be 09 e 4d a3 d7 b9 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	c b9 94 0e	bl c3
a7 b9 74 ff 48 e7 f2 2d 52 a2 9f 96 b0 b 72 96 3b 3e bb ee 5e af d4 bd ce 78 09 7 ca 0c f4 4b 91 93 ed 68 ca 5d 19 00 31 9 b7 dc 83 82 1e c9 fd 4f 24 40 c8 23 55 4 6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 e4 6 4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b aa 6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 <t< td=""><td>1 cf 48 10</td><td>29 f0</td></t<>	1 cf 48 10	29 f0
72 96 3b 3e bb ee 5e af d4 bd ce 78 09 7 ca 0c f4 4b 91 93 ed 68 ca 5d 19 00 31 9 b7 dc 83 82 1e c9 fd 4f 24 40 c8 23 55 4 6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 e4 6 4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b a 6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b 1e 32 4f f5 fe f9 6e <td< td=""><td>7 37 38 cf</td><td>ef c8</td></td<>	7 37 38 cf	ef c8
ca 0c f4 4b 91 93 ed 68 ca 5d 19 00 31 9 b7 dc 83 82 le c9 fd 4f 24 40 c8 23 55 4 6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 e4 6 4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b a 6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b 1e 32 4f f5 fe f9 6e c4 27 37 cc be 09 e 4d a3 d7 b9 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	0 ce 15 a8	ab 7b
b7 dc 83 82 1e c9 fd 4f 24 40 c8 23 55 4 6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 e4 6 4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b a a6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b le 32 4f f5 fe f9 6e c4 27 37 cc be 09 e da a3 d7 b9 94 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e <t< td=""><td>c fb 56 c9</td><td>19 d8</td></t<>	c fb 56 c9	19 d8
6c 32 8e cd 99 c2 fa 0c 94 67 ee 16 e4 6 4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b a 6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b le 32 4f f5 fe f9 6e c4 27 37 cc be 09 e da a3 d7 b9 94 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 66 6 5 4d 86 ec a6 59 cf 79 7e	f e9 38 ad	06 bd
4f 03 bd b0 5b a6 6a 4e c3 a8 b3 90 8b a 6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b le 32 4f f5 fe f9 6e c4 27 37 cc be 09 e da 3d 7b 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bd 25 bf 0 2e c0 83 f5 83 c3 67 76 61 <td< td=""><td>8 ac 47 87</td><td>8e 95</td></td<>	8 ac 47 87	8e 95
6f 61 62 2a 13 f9 95 73 ae f0 45 50 62 2 c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b le 32 4f f5 fe f9 6e c4 27 37 cc be 09 e 4d a3 d7 b9 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c3 30 6	8 23 a6 a3	d7 ac
c5 64 d7 d3 ad 2f 65 1c 78 b8 79 5e fe b le 32 4f f5 fe f9 6e c4 27 37 cc be 09 e 4d a3 d7 b9 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	9 07 49 ee	9c 85
1e 32 4f f5 fe f9 6e c4 27 37 cc be 09 e 4d a3 d7 b9 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	b 55 bb 75	2d 76
4d a3 d7 b9 99 e4 c5 ec ad d4 05 4a 9f 4 d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	8 74 b7 f8	b2 d9
d8 e6 ec a6 59 cf 79 7e a2 05 36 b6 fa 5 4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	c f5 5f 87	68 76
4c 29 3c 44 c7 ca 86 06 17 bb d2 5e bf 0 2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	1 b6 72 dd	2a 53
2e c0 83 f5 83 c3 67 76 61 eb ab aa ab c 3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	9 cf 09 04	dl 10
3b 02 91 38 64 78 ab b0 54 ca b9 63 30 6	d 66 39 f2	6c 4f
	1 43 ca 7a	c0 3e
el a9 f6 3f db ld a5 06 92 3c ce c9 d5 d	b 8f e6 22	81 91
	0 48 b7 ab	0d 76
63 d3 52 7e 5a d9 fd 06 94 ae a8 8f c3 2	d ff c9 56	75 2a
90 03 34 9e b6 81 86 a1 02 03 01 00 01		

Numeral system →	÷
O Binary (2)	
O Octal (8)	
O Decimal (10)	
Hexadecimal (16)	
O Roman numerals	
CONVERT TO	
O Binary (2)	
O Octal (8)	
Decimal (10)	
O Hexadecimal (16)	
O Roman numerals	
→ Encoded 1865 chars	

VIEW

https://cryptii.com/

Types of Certificates: Different cryptographic protocols ("applications")

X.509 is a standard of the International Telecommunications Union which defines the format of public key certificates used in many Internet cryptographic protocols, including:

- **1. Transport Layer Security** (TLS/SSL) HTTPS protocol for securely browsing the web Certificate's subject is typically a computer or other device, but may also identify organizations or individuals
 - Server certificate
 - A server is required to present a certificate as part of the initial connection setup. A client connecting to that server will validate the certificate by checking that
 - 1. The certificate's subject matches the hostname (i.e. domain name) to which the client is trying to connect
 - 2. The certificate is signed by a trusted certificate authority
 - Client certificate (less common than server certificates)
 - Used to authenticate the client connecting to a TLS service (e.g. for access control)
 - Most client certificates contain an email address or personal name rather than a hostname

2. Email encryption certificate

- A certificate's subject is typically a person or organization
- For secure email, senders use an email certificate to discover which public key to use for any given recipient

3. Code signing certificate

 A code signing certificate is used to validate signatures on programs to ensure they were not tampered with during delivery

4. Qualified digital certificate

• A "Qualified digital certificate" identifies an individual for electronic signature purposes

Roles in PKI - Certificate Authority (CA)

Serves as a trusted third party responsible for verifying identities and signing digital certificates of identity ("digital signature") which are exchanged between two parties introducing themselves to each other

Each person wanting to participate in a PKI requires a digital certificate

• Digital certificate is a credential containing the public key for that individual along with other identifying information

<u>A CA is a trusted organization (or server)</u> responsible for:

- Issuing (creating and handing) out digital certificates
- Maintaining digital certificates
- Revoking digital certificates

Use of PKI and exchanging digital certificates is intended to block Man-in-the-Middle attacks where 2 users are not working in PKI environment do not truly know the identity of the owners of public keys


Roles in PKI - Certificate Authority (CA)

Each person wanting to participate in a PKI requires a digital certificate

- Digital certificate is a credential containing the public key for that individual, computer or organization along with other identifying information
- When a CA signs the certificate, it binds the individual's, computer's or organization' identity to the public key
 - The CA takes liability for the authenticity of the identity
 - Making a CA the "trusted 3rd party" that allows people who have never met to use their public keys to authenticate each other and communicate in a secure way

Certificate Revocation Information

CA's are also responsible for maintaining up-to-date revocation information about certificates they have issued, indicating when certificates of identity are no longer valid




Roles in PKI – Certificate Authority (CA)

New Certificate Requests

A CA processes requests from people or organizations requesting certificates (called "subscribers")

- 1. Verifies the subscriber's information
- 2. Potentially signs an end-entity certificate based on the subscriber's information



Certificate Authority

Certificate of Mario Rossi

Registration Authority (RA)

When a user needs a new certificate, the user makes a request to the RA

RA serves as a broker between the user and the CA, and performs certain certification registration tasks

- Performs the certificate life-cycle management functions
- Establishes and confirms the identity of the individual
 - The RA verifies all the necessary identification information before allowing a request to go to the CA
- Initiates the certification process with the CA for the end user


RA cannot issue certificates

PKI Steps

Suppose: John needs to obtain a digital certificate to participate in PKI

- 1. John requests a digital certificate from a RA
- 2. The RA requests John's identification information
 - E.g. driver's license, address, phone number, email, ...
- 3. RA receives John's information, verifies it, and sends his certificate request to CA
- 4. CA creates a certificate with John's public key and embedded identity information
 - Private/Public key pair is generated on John's machine or by the CA (depends on system configuration)
 - Usually user generates this pair and sends his public key in as part of registration process
 - If CA creates key pair, John's private key needs to be sent to him via secure means

Now John is registered and is able to participate in PKI




Token, Credential = Public Key

PKI Steps

John and Diane decide to communicate securely using PKI...

- 1. John requests Diane's public key form a public directory
- 2. The directory (a.k.a. repository) sends Diane's digital certificate
- 3. John verifies the digital certificate...
 - extracts her public key, uses the public key to encrypt a session key that will be used to encrypt their messages
 - John sends the encrypted session key to Diane
 - John also sends his certificate, containing his public key to Diane
- 4. Diane browser receives John's certificate, <u>looks to see if it</u> <u>trusts the CA</u> that digitally signed the certificate
 - Diane's browser trusts this CA
 - After verifying the certificate, both John and Diane can communicate using encryption



Root certificate


- Self-signed certificate used to sign other certificates
- Intermediate certificate
 - A certificate used to sign other certificates.
 - Must be signed by either a root certificate or another intermediate certificate

• End-entity ("leaf") certificate


- Cannot be used to sign other certificates
- Include:
 - TLS/SSL server and client certificates
 - Email certificates
 - Code signing certificates
 - Qualified certificates


A PKI is often set up with multiple levels of CAs, for practical reasons:


- There is a top-level CA, called the root, which issues certificates on the keys of lower-level CAs, which in turn certify the user keys
- The system of identity validation still behaves in the same way, but now Diane has to check two certificates to verify John's key



Recall... Temple.edu's certificate...








C mic	rosoft.com/en-us/	
	Misses of the state of the stat	
	Certificate	×
1	General Details Certification Path	-0
	Certification path	
	DigiCert Baltimore Root	
		View Certificate
	Certificate status:	
	This certificate is OK.	
		ОК

 $\leftarrow \rightarrow$



C mic	rosoft.com/en-us/	
	Missessft and	
	Certificate	×
1	General Details Certification Path	-0
	Certification path	
	DigiCert Baltimore Root	
		View Certificate
	Certificate status:	
	This certificate is OK.	
		ОК


 $\leftarrow \rightarrow$

To perform its role effectively, a CA needs to have one or more broadly trusted <u>root certificates</u> or intermediate certificates and the corresponding private keys

A CA may achieve broad trust by:

Having its root certificates included in popular software Obtaining a cross-signature from another CA delegating trust

Or a CA may be trusted within a relatively small community, like a business In which its root certificates are distributed by other mechanisms like Windows Group Policy





Root programs:

- Some major software products contain a list of certificate authorities that are trusted by default
- This makes it easier for end-users to validate certificates, and easier for people or
 organizations that request certificates to know which certificate authorities can issue a
 certificate that will be broadly trusted
- This is particularly important in HTTPS, where a web site operator generally wants to get a certificate that is trusted by nearly all potential visitors to their web site

The most influential root programs are:

- Microsoft Root Program
- Apple Root Program
- Mozilla Root Program
- Oracle Java root program
- Adobe Approved Trust List and EUTL root programs (used for document signing)






Root programs:

Browsers generally use the operating system's facilities to decide which certificate authorities are trusted:

- Google Chrome on Windows trusts certificate authorities included in Microsoft Root Program
- Google Chrome on macOS or iOS trusts certificate authorities in Apple Root Program
- Edge and Safari use their respective operating system trust stores as well, but each is only available on a single OS.
- Firefox, in contrast, uses the Mozilla Root Program trust store on all platforms

Microsoft Windows Root Program's Trust Stores

- 1. Run **mmc.exe**
- 2. Select File -> Add/Remove Snap-in
- 3. Select Certificates, click Add
- 4. Select Computer Account, click next, click Finish
- 5. Expand the **Certificates** node -> **Trusted Root Certificate Authorities Store**



Microsoft Windows Root Program's Trust Stores

Console1 - [Console Root\Certificates (Local Compute Console1 - [Console Root\Certificates (Local Compute Console Cons	r)\frusted Root Certification Authorities	(Certificates]					- 0	×
-								- 8
🗢 🏟 🖄 🖬 🗎 🖸 📑								
Console Root	Issued To	Issued By	Expiration Date	Intended Purposes	Friendly Name	^	Actions	
	Microsoft ECC Product Root Cert Microsoft ECC Product Root Cert Microsoft ECC TS Root Certificat Microsoft Root Authority Microsoft Root Certificate Autho Microsoft Root Certificate Autho Microsoft Root Certificate Autho Microsoft Time Stamp Root Cert NetLock Arany (Class Gold) Fóta	Microsoft ECC Product Root Certifi Microsoft ECC Product Root Certifi Microsoft ECC TS Root Certificate Microsoft Root Authority Microsoft Root Certificate Authority Microsoft Root Certificate Authorit Microsoft Root Certificate Authorit Microsoft Time Stamp Root Certifi NetLock Arany (Class Gold) Fótanú NO LIABILITY ACCEPTED, (c)97 VeriS QuoVadis Root CA 2 QuoVadis Root CA 2 G3 QuoVadis Root Certification Autho SecureTrust CA Security Communication RootCA1 Starfield Class 2 Certification Auth	Expiration Date 2/27/2043 2/27/2043 2/27/2043 12/31/2020 5/9/2021 6/23/2035 3/22/2036 10/22/2039 12/6/2028 1/7/2004 11/24/2031 1/12/2042 3/17/2021 12/31/2029 9/29/2023 6/29/2034 12/31/2037 3/14/2032	Intended Purposes <all> <all> <all> <all> <all> <all> <all> <all> <all> Call> Server Authenticatio Time Stamping Server Authenticatio Server Authenticatio</all></all></all></all></all></all></all></all></all>	Friendly Name Microsoft ECC Prod Microsoft ECC Prod Microsoft Root Certi Microsoft Root Certi Microsoft Root Certi Microsoft Root Certi Microsoft Time Sta NetLock Arany (Clas VeriSign Time Stam QuoVadis Root CA 2. QuoVadis Root CA 2. QuoVadis Root CA 2. QuoVadis Root CA 2. GuoVadis Root CA 2. Stafield Class 2 Cert Starfield Class 2 Cert Starfield Root Certifi <none></none>	^	Actions Certificates More Actions	
Windows Live ID Token Issuer	Jymantec Enterprise Mobile Ro. Thawte Premium Server CA Thawte Primary Root CA Thawte Primary Root CA Thawte Primary Root CA Thawte Primary Root CA Thawte Timestamping CA Thawte Timestamping CA Thawte Timestamping CA Thawte Timestamping CA Thawte The State Cartification Auth. Un-USERFirst-Object VeriSign Class 3 Public Primary C. VeriSign Universal Root Certifica. VeriSign Universal Root Certifica.	Thawte Premium Server CA thawte Primary Root CA thawte Primary Root CA - G3 Thawte Timestamping CA T-TeleSec GlobalRoot Class 2 USERTrust RSA Certification Author UTN-USERFirst-Object VeriSign Class 3 Public Primary Cert VeriSign Universal Root Certificatio	3/14/2052 12/31/2020 7/16/2036 12/1/2037 12/31/2020 10/1/2033 1/18/2038 7/9/2019 7/16/2036 12/1/2037 12/1/2037	Code Signing Server Authenticatio Server Authenticatio Time Stamping Server Authenticatio Server Authenticatio Encrypting File Syst Server Authenticatio <all></all>	<none> thawte thawte Primary Root Thawte Timestampi T-TeleSec GlobalRo Sectigo Sectigo (UTN Object) VeriSign <none> VeriSign Universal R</none></none>	>		

 \mathcal{P} Type here to search

o 🛱 🧲 💼 숙

<

Issued To	Issued By	Expiration Date	Intended Purposes	Friendly Name
AAA Certificate Services	AAA Certificate Services	12/31/2028	Server Authenticatio	Sectigo (AAA)
AddTrust External CA Root	AddTrust External CA Root	5/30/2020	Server Authenticatio	Sectigo (AddTrust)
AffirmTrust Commercial	AffirmTrust Commercial	12/31/2030	Server Authenticatio	AffirmTrust Commer
Amazon Root CA 1	Amazon Root CA 1	1/16/2038	Server Authenticatio	Amazon Root CA 1
Baltimore CyberTrust Root	Baltimore CyberTrust Root	5/12/2025	Server Authenticatio	DigiCert Baltimore R
Certum CA	Certum CA	6/11/2027	Server Authenticatio	Certum
Certum Trusted Network CA	Certum Trusted Network CA	12/31/2029	Server Authenticatio	Certum Trusted Net
Class 3 Public Primary Certific	cati Class 3 Public Primary Certification	8/1/2028	Server Authenticatio	VeriSign Class 3 Pub
COMODO RSA Certification A		1/18/2038	Server Authenticatio	Sectigo (formerly Co
	Corp. Copyright (c) 1997 Microsoft Corp.	12/30/1999	Time Stamping	Microsoft Timestam
DigiCert Assured ID Root CA	DigiCert Assured ID Root CA	11/9/2031	Server Authenticatio	DigiCert
DigiCert Global Root CA	DigiCert Global Root CA	11/9/2031	Server Authenticatio	DigiCert
🔄 DigiCert Global Root G2	DigiCert Global Root G2	1/15/2038	Server Authenticatio	DigiCert Global Roo
🔄 DigiCert Global Root G3	DigiCert Global Root G3	1/15/2038	Server Authenticatio	DigiCert Global Roo
DigiCert High Assurance EV R	Roo DigiCert High Assurance EV Root CA	11/9/2031	Server Authenticatio	DigiCert
DST Root CA X3	DST Root CA X3	9/30/2021	Secure Email, Server	DST Root CA X3
Entrust Root Certification Aut		11/27/2026	Server Authenticatio	Entrust
Entrust Root Certification Aut		12/7/2030	Server Authenticatio	Entrust.net
Entrust.net Certification Author	and the second	7/24/2029	Server Authenticatio	Entrust (2048)
Equifax Secure Certificate Aut		8/22/2018	Secure Email, Server	GeoTrust
GeoTrust Global CA	GeoTrust Global CA	5/20/2022	Server Authenticatio	GeoTrust Global CA
GeoTrust Primary Certification		1/18/2038	Server Authenticatio	GeoTrust Primary Ce
GeoTrust Primary Certification		12/1/2037	Server Authenticatio	GeoTrust Primary Ce
GlobalSign	GlobalSign	3/18/2029	Server Authenticatio	GlobalSign Root CA
GlobalSign	GlobalSign	12/15/2021	Server Authenticatio	Google Trust Service
GlobalSign Root CA	GlobalSign Root CA	1/28/2028	Server Authenticatio	GlobalSign Root CA
Go Daddy Class 2 Certification		6/29/2034	Server Authenticatio	Go Daddy Class 2 C
Go Daddy Root Certificate Au	warman and the second	12/31/2037	Server Authenticatio	Go Daddy Root Cert
GTE CyberTrust Global Root	GTE CyberTrust Global Root	8/13/2018	Secure Email, Client	DigiCert Global Root
Hotspot 2.0 Trust Root CA - 0		12/8/2043	Server Authenticatio	Hotspot 2.0 Trust Ro
Intel(R) Technology Access	Intel(R) Technology Access	12/1/2022	<all></all>	<none></none>
Microsoft Authenticode(tm) R		12/31/1999	Secure Email, Code	Microsoft Authentic
Microsoft ECC Product Root C		2/27/2043	<all></all>	Microsoft ECC Prod
Microsoft ECC Product Root C		2/27/2043	<all></all>	Microsoft ECC Prod
Microsoft ECC TS Root Certifi		2/27/2043	<all></all>	Microsoft ECC TS Ro
Microsoft Root Authority	Microsoft Root Authority	12/31/2020	<all></all>	Microsoft Root Aut
Microsoft Root Certificate Au	en and an and a second second and a second second	5/9/2021	<all></all>	Microsoft Root Certi
Microsoft Root Certificate Au		6/23/2035	<all></all>	Microsoft Root Certi
Microsoft Root Certificate Au		3/22/2036	<all></all>	Microsoft Root Certi
Microsoft Time Stamp Root C		10/22/2039	<all></all>	Microsoft Time Sta
NetLock Arany (Class Gold) Fo	Contractions - Contraction Contraction - Contra	12/6/2028	Server Authenticatio	NetLock Arany (Clas
NO LIABILITY ACCEPTED, (c)97		1/7/2004	Time Stamping	VeriSign Time Stam
QuoVadis Root CA 2	QuoVadis Root CA 2	11/24/2031	Server Authenticatio	QuoVadis Root CA 2
QuoVadis Root CA 2 G3	QuoVadis Root CA 2 G3	1/12/2042	Server Authenticatio	QuoVadis Root CA 2
QuoVadis Root Certification A		3/17/2021	Server Authenticatio	QuoVadis Root Certi
SecureTrust CA	SecureTrust CA	12/31/2029	Server Authenticatio	Trustwave SECOM Trust Syste
	otCA1 Security Communication RootCA1	9/29/2023	Server Authenticatio	SECOM Trust Syste
Starfield Class 2 Certification		6/29/2034	Server Authenticatio Server Authenticatio	Starfield Class 2 Cert Starfield Root Certifi
Starfield Root Certificate Auth		12/31/2037 3/14/2032	Server Authenticatio Code Signing	Starfield Root Certifi <none></none>
			-	<none> thawte</none>
Thawte Premium Server CA	Thawte Premium Server CA thawte Primary Root CA	12/31/2020 7/16/2036	Server Authenticatio Server Authenticatio	thawte
thawte Primary Root CA - G3	-	12/1/2037	Server Authenticatio	thawte Primary Root
Thawte Timestamping CA	Thawte Timestamping CA	12/31/2020	Time Stamping	Thawte Timestampi
T-TeleSec GlobalRoot Class 2		10/1/2033	Server Authenticatio	T-TeleSec GlobalRo
USERTrust RSA Certification A		1/18/2038	Server Authenticatio	Sectigo
UTN-USERFirst-Object	UTN-USERFirst-Object	7/9/2019	Encrypting File Syst	Sectigo (UTN Object)
VeriSign Class 3 Public Primar	and a state of the	7/16/2036	Server Authenticatio	VeriSign
VeriSign Universal Root Certif		12/1/2037	<all></all>	<none></none>
VeriSign Universal Root Certif		12/1/2037	Server Authenticatio	VeriSign Universal R
×				

Microsoft Windows Root Program's Trust Stores

Console1 - [Console Root\Certificates (Local Compute Console1 - [Console Root\Certificates (Local Compute Console Cons	r)\frusted Root Certification Authorities	(Certificates]					- 0	×
-								- 8
🗢 🏟 🖄 🖬 🗎 🖸 📑								
Console Root	Issued To	Issued By	Expiration Date	Intended Purposes	Friendly Name	^	Actions	
	Microsoft ECC Product Root Cert Microsoft ECC Product Root Cert Microsoft ECC TS Root Certificat Microsoft Root Authority Microsoft Root Certificate Autho Microsoft Root Certificate Autho Microsoft Root Certificate Autho Microsoft Time Stamp Root Cert NetLock Arany (Class Gold) Fóta	Microsoft ECC Product Root Certifi Microsoft ECC Product Root Certifi Microsoft ECC TS Root Certificate Microsoft Root Authority Microsoft Root Certificate Authority Microsoft Root Certificate Authorit Microsoft Root Certificate Authorit Microsoft Time Stamp Root Certifi NetLock Arany (Class Gold) Fótanú NO LIABILITY ACCEPTED, (c)97 VeriS QuoVadis Root CA 2 QuoVadis Root CA 2 G3 QuoVadis Root Certification Autho SecureTrust CA Security Communication RootCA1 Starfield Class 2 Certification Auth	Expiration Date 2/27/2043 2/27/2043 2/27/2043 12/31/2020 5/9/2021 6/23/2035 3/22/2036 10/22/2039 12/6/2028 1/7/2004 11/24/2031 1/12/2042 3/17/2021 12/31/2029 9/29/2023 6/29/2034 12/31/2037 3/14/2032	Intended Purposes <all> <all> <all> <all> <all> <all> <all> <all> <all> Call> Server Authenticatio Time Stamping Server Authenticatio Server Authenticatio</all></all></all></all></all></all></all></all></all>	Friendly Name Microsoft ECC Prod Microsoft ECC Prod Microsoft Root Certi Microsoft Root Certi Microsoft Root Certi Microsoft Root Certi Microsoft Time Sta NetLock Arany (Clas VeriSign Time Stam QuoVadis Root CA 2. QuoVadis Root CA 2. QuoVadis Root CA 2. QuoVadis Root CA 2. GuoVadis Root CA 2. Stafield Class 2 Cert Starfield Class 2 Cert Starfield Root Certifi <none></none>	^	Actions Certificates More Actions	
Windows Live ID Token Issuer	Jymantec Enterprise Mobile Ro. Thawte Premium Server CA Thawte Primary Root CA Thawte Primary Root CA Thawte Primary Root CA Thawte Primary Root CA Thawte Timestamping CA Thawte Timestamping CA Thawte Timestamping CA Thawte Timestamping CA Thawte The State Cartification Auth. Un-USERFirst-Object VeriSign Class 3 Public Primary C. VeriSign Universal Root Certifica. VeriSign Universal Root Certifica.	Thawte Premium Server CA thawte Primary Root CA thawte Primary Root CA - G3 Thawte Timestamping CA T-TeleSec GlobalRoot Class 2 USERTrust RSA Certification Author UTN-USERFirst-Object VeriSign Class 3 Public Primary Cert VeriSign Universal Root Certificatio	3/14/2052 12/31/2020 7/16/2036 12/1/2037 12/31/2020 10/1/2033 1/18/2038 7/9/2019 7/16/2036 12/1/2037 12/1/2037	Code Signing Server Authenticatio Server Authenticatio Time Stamping Server Authenticatio Server Authenticatio Encrypting File Syst Server Authenticatio <all></all>	<none> thawte thawte Primary Root Thawte Timestampi T-TeleSec GlobalRo Sectigo Sectigo (UTN Object) VeriSign <none> VeriSign Universal R</none></none>	>		

 \mathcal{P} Type here to search

o 🛱 🧲 💼 숙

<

Issued To	Issued By	Expiration Date	Intended Purposes	Friendly Name
AAA Certificate Services	AAA Certificate Services	12/31/2028	Server Authenticatio	Sectigo (AAA)
AddTrust External CA Root	AddTrust External CA Root	5/30/2020	Server Authenticatio	Sectigo (AddTrust)
AffirmTrust Commercial	AffirmTrust Commercial	12/31/2030	Server Authenticatio	AffirmTrust Commer
Amazon Root CA 1	Amazon Root CA 1	1/16/2038	Server Authenticatio	Amazon Root CA 1
Baltimore CyberTrust Root	Baltimore CyberTrust Root	5/12/2025	Server Authenticatio	DigiCert Baltimore R
Certum CA	Certum CA	6/11/2027	Server Authenticatio	Certum
Certum Trusted Network CA	Certum Trusted Network CA	12/31/2029	Server Authenticatio	Certum Trusted Net
Class 3 Public Primary Certificati	Class 3 Public Primary Certification	8/1/2028	Server Authenticatio	VeriSign Class 3 Pub
COMODO RSA Certification Aut	COMODO RSA Certification Autho	1/18/2038	Server Authenticatio	Sectigo (formerly Co
Copyright (c) 1997 Microsoft Corp.		12/30/1999	Time Stamping	Microsoft Timestam
DigiCert Assured ID Root CA	DigiCert Assured ID Root CA	11/9/2031	Server Authenticatio	DigiCert
DigiCert Global Root CA	DigiCert Global Root CA	11/9/2031	Server Authenticatio	DigiCert
DigiCert Global Root G2	DigiCert Global Root G2	1/15/2038	Server Authenticatio	DigiCert Global Roo
DigiCert Global Root G3	DigiCert Global Root G3	1/15/2038	Server Authenticatio	DigiCert Global Roo
DigiCert High Assurance EV Roo	DigiCert High Assurance EV Root CA	11/9/2031	Server Authenticatio	DigiCert
DST Root CA X3	DST Root CA X3	9/30/2021	Secure Email, Server	DST Root CA X3
Entrust Root Certification Autho	Entrust Root Certification Authority	11/27/2026	Server Authenticatio	Entrust
Entrust Root Certification Autho		12/7/2030		Entrust.net
Entrust.net Certification Authorit		7/24/2029	Server Authenticatio	Entrust (2048)
Equifax Secure Certificate Autho	Equifax Secure Certificate Authority	8/22/2018	Secure Email, Server	GeoTrust
GeoTrust Global CA	GeoTrust Global CA	5/20/2022	Server Authenticatio	GeoTrust Global CA
GeoTrust Primary Certification A	GeoTrust Primary Certification Aut	1/18/2038	Server Authenticatio	GeoTrust Primary Ce
GeoTrust Primary Certification A	GeoTrust Primary Certification Aut	12/1/2037	Server Authenticatio	GeoTrust Primary Ce
GlobalSign	GlobalSign	3/18/2029	Server Authenticatio	GlobalSign Root CA
GlobalSign	GlobalSign	12/15/2021	Server Authenticatio	Google Trust Service
GlobalSign Root CA	GlobalSign Root CA	1/28/2028	Server Authenticatio	GlobalSign Root CA
Go Daddy Class 2 Certification A		6/29/2034	Server Authenticatio	Go Daddy Class 2 C
Go Daddy Root Certificate Auth	Go Daddy Root Certificate Authori	12/31/2037	Server Authenticatio	Go Daddy Root Cert
GTE CyberTrust Global Root	GTE CyberTrust Global Root	8/13/2018	Secure Email, Client	DigiCert Global Root
Hotspot 2.0 Trust Root CA - 03	Hotspot 2.0 Trust Root CA - 03	12/8/2043	Server Authenticatio	Hotspot 2.0 Trust Ro
Intel(R) Technology Access	Intel(R) Technology Access	12/1/2022	<all></all>	<none></none>
Microsoft Authenticode(tm) Roo		12/31/1999	Secure Email, Code	Microsoft Authentic
Microsoft ECC Product Root Cert		2/27/2043	<all></all>	Microsoft ECC Prod
Microsoft ECC Product Root Cert		2/27/2043	<all></all>	Microsoft ECC Prod
Microsoft ECC TS Root Certificat		2/27/2043	<all></all>	Microsoft ECC TS Ro
Microsoft Root Authority	Microsoft Root Authority	12/31/2020	<all></all>	Microsoft Root Aut
Microsoft Root Certificate Autho		5/9/2021	<all></all>	Microsoft Root Certi
Microsoft Root Certificate Autho		6/23/2035	<all></all>	Microsoft Root Certi
Microsoft Root Certificate Autho		3/22/2036	<all></all>	Microsoft Root Certi
Microsoft Time Stamp Root Cert		10/22/2039	<all></all>	Microsoft Time Sta
NetLock Arany (Class Gold) Főta	NetLock Arany (Class Gold) Főtanú	12/6/2028	Server Authenticatio	NetLock Arany (Clas
NO LIABILITY ACCEPTED, (c)97 Ve	NO LIABILITY ACCEPTED, (c)97 VeriS	1/7/2004	Time Stamping	VeriSign Time Stam
QuoVadis Root CA 2	QuoVadis Root CA 2	11/24/2031	Server Authenticatio	QuoVadis Root CA 2
QuoVadis Root CA 2 G3	QuoVadis Root CA 2 G3	1/12/2042	Server Authenticatio	QuoVadis Root CA 2
QuoVadis Root Certification Aut	QuoVadis Root Certification Autho	3/17/2021	Server Authenticatio	QuoVadis Root Certi
SecureTrust CA	SecureTrust CA	12/31/2029	Server Authenticatio	Trustwave
Security Communication RootCA1	Security Communication RootCA1	9/29/2023	Server Authenticatio	SECOM Trust Syste
Starfield Class 2 Certification Aut	Starfield Class 2 Certification Auth	6/29/2034	Server Authenticatio	Starfield Class 2 Cert
Starfield Root Certificate Authori		12/31/2037	Server Authenticatio	Starfield Root Certifi
Symantec Enterprise Mobile Ro	Symantec Enterprise Mobile Root f	3/14/2032	Code Signing	<none></none>
Thawte Premium Server CA	Thawte Premium Server CA	12/31/2020	Server Authenticatio	thawte
thawte Primary Root CA	thawte Primary Root CA	7/16/2036	Server Authenticatio	thawte
thawte Primary Root CA - G3	thawte Primary Root CA - G3	12/1/2037	Server Authenticatio	thawte Primary Root
Thawte Timestamping CA	Thawte Timestamping CA	12/31/2020	Time Stamping	Thawte Timestampi
T-TeleSec GlobalRoot Class 2	T-TeleSec GlobalRoot Class 2	10/1/2033	Server Authenticatio	T-TeleSec GlobalRo
USERTrust RSA Certification Auth		1/18/2038	Server Authenticatio	Sectigo
UTN-USERFirst-Object	UTN-USERFirst-Object	7/9/2019	Encrypting File Syst	Sectigo (UTN Object)
VeriSign Class 3 Public Primary C	VeriSign Class 3 Public Primary Cert	7/16/2036	Server Authenticatio	VeriSign
VeriSign Universal Root Certifica	VeriSign Universal Root Certificatio	12/1/2037	<all></all>	<none></none>
🔄 VeriSign Universal Root Certifica	VeriSign Universal Root Certificatio	12/1/2037	Server Authenticatio	VeriSign Universal R

Mac OS X

The root store is in the Keychain.app

- 1. Search Finder (Spotlight) for "keychain"
- 2. Double-click Keychain Access app
- 3. Select "System Roots" in the left-hand pane

Certificate Revocation List (CRL) – in principal

CRL is the mechanism for the CA to let others know that a certificate has become invalid for some reason

A certificate may be revoked because

- The key holder's private key was compromised
- CA discovered the Certificate was issued to the wrong person
- The certificate expired
- The certificate became invalid for other reasons...

The CA handles revocation by putting the revoked certificate's information on a *certificate revocation list* (CRL)

- The CRL is a list of every certificate that has been revoked
- The CRL is maintained and updated

Microsoft Windows Root Program's Trust Stores

Certificate X	Gertificate	
ieneral Details Certification Path	General Details Certifica	ation Path
Certificate Information	Show: <all></all>	~
This certificate has expired or is not yet valid. Issued to: Microsoft Authenticode(tm) Root Authority Issued by: Microsoft Authenticode(tm) Root Authority	Field Version Serial number Signature algorithm Signature hash algorithm Signature hash algorithm Subject Subject	Value V3 01 md5RSA md5 Microsoft Authenticode(tm) Roo Sunday, January 01, 1995 3:00 Friday, December 31, 1999 6:5 Microsoft Authenticode(tm) Roo
Valid from 1/1/1995 to 12/31/1999		
Issuer Statement		Edit Properties Copy to File.
ОК		C

Issued To	Issued By	Evolution Data	Intended Purposes	Friendly Name	^
AAA Certificate Services	AAA Certificate Services	Expiration Date	Server Authenticatio	Friendly Name	
AddTrust External CA Root	AddTrust External CA Root	12/31/2028 5/30/2020	Server Authenticatio	Sectigo (AAA) Sectigo (AddTrust)	
Add Irust External CA Root	AffirmTrust Commercial	12/31/2030	Server Authenticatio	AffirmTrust Commer	
Amazon Root CA 1	Amazon Root CA 1	1/16/2038	Server Authenticatio	Amazon Root CA 1	
Baltimore CyberTrust Root	Baltimore CyberTrust Root	5/12/2025	Server Authenticatio	DigiCert Baltimore R	
Certum CA	Certum CA	6/11/2027	Server Authenticatio	Certum	
Certum Trusted Network CA	Certum Trusted Network CA	12/31/2029	Server Authenticatio	Certum Trusted Net	
Class 3 Public Primary Certificati	Class 3 Public Primary Certification	8/1/2028	Server Authenticatio	VeriSign Class 3 Pub	
COMODO RSA Certification Aut	COMODO RSA Certification Autho	1/18/2038	Server Authenticatio	Sectigo (formerly Co	
Copyright (c) 1997 Microsoft Corp.		12/30/1999	Time Stamping	Microsoft Timestam	
DigiCert Assured ID Root CA	DigiCert Assured ID Root CA	11/9/2031	Server Authenticatio	DigiCert	
DigiCert Global Root CA	DigiCert Global Root CA	11/9/2031	Server Authenticatio	DigiCert	
DigiCert Global Root G2	DigiCert Global Root G2	1/15/2038	Server Authenticatio	DigiCert Global Roo	
DigiCert Global Root G3	DigiCert Global Root G3	1/15/2038	Server Authenticatio	DigiCert Global Roo	
DigiCert High Assurance EV Roo	DigiCert High Assurance EV Root CA	11/9/2031	Server Authenticatio	DigiCert	
DST Root CA X3	DST Root CA X3	9/30/2021	Secure Email, Server	DST Root CA X3	
Entrust Root Certification Autho	Entrust Root Certification Authority	11/27/2026	Server Authenticatio	Entrust	
Entrust Root Certification Autho	Entrust Root Certification Authorit	12/7/2030	Server Authenticatio	Entrust.net	
Entrust.net Certification Authorit	Entrust.net Certification Authority (7/24/2029	Server Authenticatio	Entrust (2048)	
Equifax Secure Certificate Autho	Equifax Secure Certificate Authority	8/22/2018	Secure Email, Server	GeoTrust	
🔄 GeoTrust Global CA	GeoTrust Global CA	5/20/2022	Server Authenticatio	GeoTrust Global CA	
GeoTrust Primary Certification A	GeoTrust Primary Certification Aut	1/18/2038	Server Authenticatio	GeoTrust Primary Ce	
GeoTrust Primary Certification A	GeoTrust Primary Certification Aut	12/1/2037	Server Authenticatio	GeoTrust Primary Ce	
🔄 GlobalSign	GlobalSign	3/18/2029	Server Authenticatio	GlobalSign Root CA	
🔄 GlobalSign	GlobalSign	12/15/2021	Server Authenticatio	Google Trust Service	
GlobalSign Root CA	GlobalSign Root CA	1/28/2028	Server Authenticatio	GlobalSign Root CA	
Go Daddy Class 2 Certification A	Go Daddy Class 2 Certification Aut	6/29/2034	Server Authenticatio	Go Daddy Class 2 C	
Go Daddy Root Certificate Auth	Go Daddy Root Certificate Authori	12/31/2037	Server Authenticatio	Go Daddy Root Cert	
GTE CyberTrust Global Root	GTE CyberTrust Global Root	8/13/2018	Secure Email, Client	DigiCert Global Root	
Hotspot 2.0 Trust Root CA - 03	Hotspot 2.0 Trust Root CA - 03	12/8/2043	Server Authenticatio	Hotspot 2.0 Trust Ro	
Intel(R) Technology Access Microsoft Authenticode(tm) Roo	Intel(R) Technology Access Microsoft Authenticode(tm) Root	12/1/2022	<all></all>	<none></none>	
Microsoft ECC Product Root Cert	Microsoft ECC Product Root Certifi	12/31/1999	Secure Email, Code <all></all>	Microsoft Authentic Microsoft ECC Prod	
Microsoft ECC Product Root Cert		2/27/2043 2/27/2043	<all></all>	Microsoft ECC Prod	
Microsoft ECC TS Root Certificat	Microsoft ECC TS Root Certificate	2/27/2043	<all></all>	Microsoft ECC TS Ro	
Microsoft Root Authority	Microsoft Root Authority	12/31/2020	<all></all>	Microsoft Root Aut	
Microsoft Root Certificate Autho	and a second	5/9/2021	<all></all>	Microsoft Root Certi	
Microsoft Root Certificate Autho	Microsoft Root Certificate Authorit	6/23/2035	<all></all>	Microsoft Root Certi	
Microsoft Root Certificate Autho	Microsoft Root Certificate Authorit	3/22/2036	<all></all>	Microsoft Root Certi	
Microsoft Time Stamp Root Cert	Microsoft Time Stamp Root Certifi	10/22/2039	<all></all>	Microsoft Time Sta	
NetLock Arany (Class Gold) Főta	NetLock Arany (Class Gold) Főtanú	12/6/2028	Server Authenticatio	NetLock Arany (Clas	
NO LIABILITY ACCEPTED, (c)97 Ve	NO LIABILITY ACCEPTED, (c)97 VeriS	1/7/2004	Time Stamping	VeriSign Time Stam	
QuoVadis Root CA 2	QuoVadis Root CA 2	11/24/2031	Server Authenticatio	QuoVadis Root CA 2	
QuoVadis Root CA 2 G3	QuoVadis Root CA 2 G3	1/12/2042	Server Authenticatio	QuoVadis Root CA 2	
QuoVadis Root Certification Aut	QuoVadis Root Certification Autho	3/17/2021	Server Authenticatio	QuoVadis Root Certi	
SecureTrust CA	SecureTrust CA	12/31/2029	Server Authenticatio	Trustwave	
Security Communication RootCA1	Security Communication RootCA1	9/29/2023	Server Authenticatio	SECOM Trust Syste	1
Starfield Class 2 Certification Aut	Starfield Class 2 Certification Auth	6/29/2034	Server Authenticatio	Starfield Class 2 Cert	
Starfield Root Certificate Authori		12/31/2037	Server Authenticatio	Starfield Root Certifi	
Symantec Enterprise Mobile Ro	Symantec Enterprise Mobile Root f	3/14/2032	Code Signing	<none></none>	
Thawte Premium Server CA	Thawte Premium Server CA	12/31/2020	Server Authenticatio	thawte	
thawte Primary Root CA	thawte Primary Root CA	7/16/2036	Server Authenticatio	thawte	
thawte Primary Root CA - G3	thawte Primary Root CA - G3	12/1/2037	Server Authenticatio	thawte Primary Root	
Thawte Timestamping CA	Thawte Timestamping CA	12/31/2020	Time Stamping	Thawte Timestampi	
T-TeleSec GlobalRoot Class 2	T-TeleSec GlobalRoot Class 2	10/1/2033	Server Authenticatio	T-TeleSec GlobalRo	
USERTrust RSA Certification Auth	USERTrust RSA Certification Author UTN-USERFirst-Object	1/18/2038 7/9/2019	Server Authenticatio Encrypting File Syst	Sectigo Sectigo (UTN Object)	
VeriSign Class 3 Public Primary C	VeriSign Class 3 Public Primary Cert	7/16/2036	Server Authenticatio	VeriSign	
VeriSign Universal Root Certifica	VeriSign Universal Root Certificatio	12/1/2037	<all></all>	<none></none>	
VeriSign Universal Root Certifica	VeriSign Universal Root Certificatio	12/1/2037	Server Authenticatio	VeriSign Universal R	
	-	(d.)3		5	~

 \times

^

OK

<

Examples of Revoked Certificates


• Safari: Generic This Connection is Not Private message. If you click the Show Details button and then the view the certificate link, you can confirm that the certificate is, in fact, revoked.

Chrome: NET::ERR_CERT_REVOKED

Your connection is not private

Attackers might be trying to steal your information from **revoked-ecc-dv.ssl.com** (for example, passwords, messages, or credit cards). Learn more

NET::ERR_CERT_REVOKED



• Edge: ERROR_INTERNET_SEC_CERT_REVOKED (visible after clicking Details link on This site is not secure message).



Certificate Revocation List (CRL) – in practice

CRLs are problematic in many PKI implementations for many reasons

- Either user's browser must check a central CRL to find out if a certificate has been revoked
- ...or the CA must continually push out CRL values to clients to ensure they have an updated CRL

By default, web browsers do not check a CRL to ensure that a certificate is not revoked

 So when you are setting up a SSL connection to do e-Commerce over the Internet, you may be relying on a revoked certificate and not know it

Online Certificate Status Protocol (OCSP) is increasingly being used...

- If OCSP is implemented, it works automatically
- OCSP does real-time certificate validation
 - Checks the CRL maintained by the CA
 - Notifies user if certificate is valid, invalid, or unknown
- Publicly trusted CAs (e.g. SSL.com) maintain HTTP servers called OCSP responders
 - OCSP responders sign their responses with the CA's private signing key so browsers can verify that the received revocation status was generated by the actual CA

Online Certificate Status Protocol (OCSP) – In Practice

Contacting a responder and waiting for a response for every certificate encountered by a browser encounters adds perceptible network overhead, especially in pages containing third-party content stored in remote contentdistribution servers

• Amazon calculated that a delay of one second can cost them about \$1.6 billion yearly

This motivated browsers and other client software to implement OCSP checking in soft-fail mode

If an OCSP server cannot be reached or times out while giving its response, browsers consider the certificate valid and proceed with the HTTPS connection anyway


Man-in-the-middle (MITM) attackers can exploit this behavior by blocking all connections to OCSP responders, and then can use a stolen certificate and key pair for a malicious site, regardless of the certificate's revocation status

OCSP Stapling Solution

Servers include (or **staple**) the cached OCSP response in their HTTPS responses alongside the SSL certificate

- This enables browsers before the secure connection is established to verify the CAs signature on the OCSP response and be assured that the certificate has not been revoked
- OCSP stapling enables servers to retrieve cached OCSP responses in non-real-time and remove performance overhead imposed by CRLs and OCSP
- OCSP stapling does not completely solve OCSP's soft-fail security issue, since stapling is implemented in the server and browsers cannot know if a server actually supports Stapling or not
- OCSP Must-Staple (extension of SSL Certificates: <u>RFC 7633</u>)
 - Mandates OCSP stapling for the certificate
 - If a browser encounters a certificate with this extension that is used without OCSP Stapling, then it will be rejected
 - Enabling OCSP stapling on servers improves security and performance for your web site at the same time

PKI Roles and Workflows



Token, Credential = Public Key

Basic Online Certificate Status Protocol (OCSP)

- 1. Alice and Bob have public key certificates issued by Carol, the certificate authority (CA)
- 2. Alice wishes to perform a transaction with Bob and sends him her public key certificate
- 3. Bob, concerned that Alice's public key may have been compromised, creates an 'OCSP request' that contains Alice's certificate serial number and sends it to Carol
- 4. Carol's OCSP responder reads the certificate serial number from Bob's request. The OCSP responder uses the certificate serial number to look up the revocation status of Alice's certificate. The OCSP responder looks in a CA database that Carol maintains. In this scenario, Carol's CA database is the only trusted location where a compromise to Alice's certificate would be recorded
- 5. Carol's OCSP responder confirms that Alice's certificate is still OK, and returns a signed, successful 'OCSP response' to Bob
- Bob cryptographically verifies Carol's signed response. Bob has stored Carol's public key sometime before this transaction. Bob uses Carol's public key to verify Carol's response
- 7. Bob completes the transaction with Alice

Agenda

- ✓ Public Key Infrastructure
- ✓ Digital Certificate
- ✓ Public key Certificates
- ✓ Roles in PKI: Certificate Authority (CA)
- ✓ Roles in PKI: Registration Authority (RA)
- ✓ PKI Steps
- ✓ Chain of Trust
- ✓ Root Programs
- ✓ Certificate Revocation List (CRL)
- ✓ PKI Roles / Workflows...