

# Managing Enterprise Cybersecurity


## MIS 4596

Unit #12

# Agenda

- Identity and Authentication – a historic problem
- Identity and Authentication for controlling access to IT Assets
- Identification
- Authentication
  - Something you know
  - Something you have
  - Something you are
- Multi-factor Authentication

# Learning more about RSA



An online tool for checking your work:

<https://www.cryptool.org/en/cto-highlights/rsa-step-by-step>

## Part 2. Calculating RSA keys

Note: To help you answer the following questions, view [this "RSA Algorithm" video](#). Also, you can review [the RSA wikipedia page example](#).

1. Complete encryption and decryption using the RSA algorithm, for the following data (show all work):  $p = 5$ ,  $q = 11$ ,  $e = 3$ ,  $M = 9$ . Also:

Question: What is the ciphertext when performing RSA encryption with  $p=5$ ,  $q=11$ ,  $e=3$ ,  $M=9$ ?

Question: Show all work for encryption and decryption

2. You are Eve. In a public-key system using RSA, you intercept the ciphertext,  $C=10$ , sent to a user whose public key is  $e=5$ ,  $n=35$ .

Question: What is the plaintext 'M'?

# Identity and Authentication

“...is about the continuity of relationships, knowing who to trust and who not to trust, making sense of a complex world”

(Schneier, *Secrets and Lies*, p. 68-69)

- Are ancient problems, a Bible example, from approximately 1100 BC talks about the Gileadites who captured the water crossings of the Jordan river leading to Ephraim...,



1100 BC

Bashan  
M A N A S S E H

DECAPOLIS

G A D

R i f t  
V a l l e y

J. Umm  
ed-Daraj

Penuel/Peniel

Mahanaim

Succoth

Zaphon

Pehel

Jabesh Gilead

Lo Debar

Beth Yerah

Gadara

Beth Arbel

Ramoth Gilead

Ashtaroth

Rabbah (of the  
Ammonites)

Gedor

Jabbok River

Yarmuk River

Jordan River

Harod Valley

Beth Shan

Sea of Galilee

Damascus



5 And the Gileadites took the passages of Jordan before the Ephraimites: and it was so, that when those Ephraimites which were escaped said, Let me go over; that the men of Gilead said unto him, Art thou an Ephraimite? If he said, Nay;

6 Then said they unto him, Say now Shibboleth: and he said Sibboleth: for he could not frame to pronounce it right. Then they took him, and slew him at the passages of Jordan: and there fell at that time of the Ephraimites forty and two thousand.

Judges 12:5-6

# shibboleth

More recently, the word “Shibboleth” has been incorporated into the English language to mean something that distinguishes or identifies someone:

- a peculiarity of pronunciation, behavior, mode of dress, etc., that distinguishes a particular class or set of persons

You drink "wooder"  
not "water"



Talking like a stereotypical New Yorker

drop the "r" when it is before a consonant

Park → Pak  
Nurse → Nuhse  
Water → Watta  
River → Rivva  
Fear → Feah

## HOW TO SPEAK BOSTON

@MassachusettsMemes

Dinner	Suppah	Water fountain	Bubblah
Living Room	Pahluh	Sunfish	Baby wheel
Basement	Cellah	No-way	No suh
TV Remote	Clickah	Dunkin' Donuts	Dunkies
Liquor store	Packie	Cumberland Farms	Cumbies
Traffic circle	Rotary	State trooper	Statie
Turn signal	Blinkah	Make a U-turn	Bang a U-ey
Sprinkles	Jimmies	Very awesome	Wicked awesome


MIS 4596



# Question:

*When you enter Speakman Hall and show your Temple ID, what is happening?*


- *Identification ?*
- *Authentication ?*
- *Authorization ?*



# shibboleth



In today's information technology a shibboleth is a community-wide password that enables members of that community to access an online resource without revealing their individual identities



# Controlling Access to IT Assets

- A central theme of information system security
- Many different security controls work together to provide access control
  - Identity, Authentication, Authorization, Auditing...
- IT Asset includes:
  - Information
  - Systems
  - Devices
  - Facilities
  - Personnel

# Identity Management

Identification and Authentication are distinct functions


**Identification:** Who you say you are

**Authentication:** Confirmation that you are who you say you are

# Identity and Authentication


First line of defense in battling unauthorized access to network resources and systems

- Broad term covering several types of mechanisms that control access to features of networks, computers and information stored and flowing within them



# Identification, Authentication, Authorization, and Accountability ("AAA")

To access an information system resource, a user must pass through the following logical steps:



# Authorization: Access to information...


*Access is the ability to create a flow of information between user and system*

The flow of information between a subject and an object

- Subject
  - Always the active entity - requesting access to an object or data within the object
  - Can be users, programs, processes, services, computers...
  - When authorized, subjects can modify objects
- Object
  - Always the passive object - providing information to active subjects
  - Can be data files, databases, computers, programs, processes, services, storage media...


E.g. “**A user (subject) accesses an object (data file)**”

**Note:** Roles of subject and object can switch during interactions  
– e.g. a computer program can be both a data requester and a data provider, switching back and forth



# To access a network's resource, a user must:

Prove their identity (i.e. has the necessary credentials)





# Identification and Authentication

Usually involves a two-step process:

## 1. **Identification:** Entering public information

- Method by which a subject (user, program or process) claims to have a specific identity
  - *Username, employee number, account number, or email address*

## 2. **Authentication:** Entering private information

- Individual's identify must be verified during authentication process
- Method by which subject proves it is who it says it is
  - *Static password, smart token, one-time password, or PIN*

# Identification



Method of establishing the subject's identity

- *Subject can be a human user, program or process*
- **Identity** – A set of attributes that uniquely describe a person within a given context
- Typically a user name, email address or other public information

```
login as: root
root@11.12.161.141's password: █
```

# Identification



## Entering public information

- Method by which a subject (user, program or process) supplies identifying information to claim they have a specific identity
  - *Username, employee number, account number, or email address*

Creating secure identities involves 3 key aspects:

- 1. Uniqueness** – every user, program or process must be identified with an identifier (i.e. unique ID) that is specific to the individual for accountability
- 2. Non-descriptive** – Identifier should not indicate the purpose of the account nor the user's position nor tasks done with the account
- 3. Issuance** – provided by an authority as a formal/official means of proving identity

# Authentication

The process of establishing confidence in the identity of users or information systems

Method of proving identity is something a person:

1. **Knows** – a secret password
2. **Has** – a public key certificate, Computer Access Card, ...
3. **Is or does** – biometrics



# Authentication – Classic 3 factor paradigm

## ...for authentication systems

*Subject provides information to prove it is who it says it is and authentication system verifies the identification information*

### 1. **Something the subject knows** (“authentication by knowledge”) – Type 1 factor

- Examples: password, PIN, combination to a lock...
- Usually least expensive method to implement
- Vulnerability: Someone else may acquire this knowledge and gain unauthorized access to a resource

### 2. **Something the subject has** (“authentication by ownership”) – Type 2 factor

- Examples: Key, swipe card, access card, badge...
- Common for accessing facilities, sensitive areas, and authenticate holder
- Vulnerability: Can be lost or stolen and result in unauthorized access


### 3. **Something the subject is** (“authentication by characteristic”) – Type 3 factor

- Examples: Fingerprint, palm scan, retina scan...
- Based on biometrics – a way to identify the subject by a unique physical attribute
- Vulnerability: Can be expensive, cumbersome/troubling to users and associated with false acceptance or rejection

# Authentication – Something you know

Use of secret words to authenticate humans dates at least as far back as the military of ancient Rome (Polybius, 118 BC), which developed a careful procedure for using daily “watchwords” to prevent infiltration

Also appears in the folk tale of Ali Baba and the forty thieves (translated into English in 1785) who used the phrase “open sesame” to access a magic cave



# Authentication – something you know

## Passwords

- A secret shared between user authentication system
- User name + password most common identification, authentication scheme
  - *A weak security mechanism – requiring implementation of strong password protections*




# Authentication - Passwords

*How many unique characters can be produced by the standard QWERTY keyboard?*

*Standard US Qwerty keyboards have 101, 104 or 107 keys which can produce 96 unique characters*

- 26 lower case letters
- 26 upper case letters
- 10 numbers
- 32 visible symbols
- 2 Windows and Menu keys



“The name comes from the order of the first six keys on the top left letter row of the keyboard (Q W E R T Y). The QWERTY design is based on a layout created for the Sholes and Glidden typewriter and sold to E. Remington and Sons in 1873. It became popular with the success of the Remington No. 2 of 1878, and remains in widespread use.”

*Wikipedia*



# Authentication - Passwords

## How to create a password that is hard to crack:

- The longer the password, the harder it is to crack
- Always use a combination of characters, numbers and special characters
- Variety in passwords on different apps and systems...

<https://resources.infosecinstitute.com/10-popular-password-cracking-tools/#gref>

- 1 character password: 96 tries to crack
- 2 characters:  $96 * 96 = 9,216$
- 3 characters:  $96 * 96 * 96 = 884,736$
- 4 characters  $96^4 = 84,934,656$
- ...
- 8 characters  $96^8 = 7,213,895,789,838,336$

LAST  
WEEK  
TONIGHT  
WITH JOHN OLIVER

# Authentication: Passphrase

This is a relatively complex password: cCs,.ebj7L}c

But it is difficult to remember

## Passphrase

- Is a sequence of characters that is longer than a password
- Takes the place of a password
- Can be more secure than a password because it is more complex

This passphrase is easier to remember:

***I like to eat chocolate chip cookies.***

Use of random words in passphrase is better:

Correct horse battery staple



# “The reuse of passwords is the #1 cause of harm on the internet”

<https://www.cnet.com/news/facebook-chief-security-officer-alex-stamos-web-summit-lisbon-hackers/>



Users reuse passwords

According to a study of 29 million people, 38% reused their passwords

<https://arxiv.org/pdf/1706.01939.pdf>



**12%-43%\***  
reuse rate

\*"Data breaches, phishing, or malware?"

Research at Google

<https://static.googleusercontent.com/media/research.google.com/en//pubs/archive/46437.pdf>

# Techniques to attack passwords

- Guessing
- Social engineering
- Dictionary attacks
- Electronic monitoring
- Access the password file
- Brute force attacks
- Rainbow tables



<https://resources.infosecinstitute.com/10-popular-password-cracking-tools/#gref>

INFOSEC

Boot Camps Skill Development Awareness & Anti-phishing Team Training Resources About Us

## Breaking Password Security

Learn about breaking passwords, including different attack types and popular tools as well as tricks to retrieving passwords from Windows systems.

GET STARTED

INFOSEC Skills

3 videos // 28 minutes of training

### Course overview

"Some passwords are just too secure to bother to break." And some are easy pickings. Ethical hackers in training will appreciate this three-video course on the fundamentals of breaking password security, including multiple approaches to breaking passwords, techniques such as brute-forcing, manual guessing, dictionary attacks and hybrid attacks, famous tools such as rainbow tables and Cain and Abel and more. Includes special focus on Windows passwords and the tricks of retrieving passwords from the SAM file or a SYSKEY-encrypted SAM, plus breaking 2FA.

### Course syllabus

Breaking Password Security	Duration: 9:37
Breaking Windows Passwords	Duration: 16:14
Two-Factor Authentication	Duration: 1:44

### Meet the author

#### Infosec

At Infosec, we believe knowledge is the most powerful tool in the fight against cybercrime. We help IT and security professionals advance their careers with a full regimen of certification and skills training. We also empower all employees with security awareness training to stay cybersecure at work and home. Driven by smart people wanting to do good, Infosec educates entire organizations on how to defend themselves from cybercrime. That's what we do every day — equipping everyone with the latest security skills so the good guys win.

29

ason 10

ellen

# Authentication: Passwords with Password Managers

Keeping all of your passwords in a password manager is a good idea

- <https://en.wikipedia.org/wiki/1Password>
- <https://en.wikipedia.org/wiki/LastPass>
- <https://fossbytes.com/best-free-password-manager-software/>
- <https://www.techradar.com/best/password-manager>

# Authentication - Something you have

e.g.

- Your phone
- ID Card
- Synchronous token
  - Time Based
  - Counter Synchronization



Signing in to your account will work a little differently

- 1 You'll enter your password**  
Whenever you sign in to Google, you'll enter your password as usual.
- 2 You'll be asked for something else**  
Then, a code will be sent to your phone via text, voice call, or our mobile app. Or, if you have a Security Key, you can insert it into your computer's USB port.





# ...Something you have: Cell phone


*The number one thing most people can do to protect themselves online is to enable any type of two-factor authentication for their important accounts*



2-factor authentication requires you to have 2 things to get into your account, often it consists of:

1. Something you know (your password)
2. Something you have
  1. Your mobile device with security code

- SMS stands for Short Message Service, the most widely used type of text messaging
- When you enable SMS-based 2-factor authentication, the service will send your mobile phone number a text message containing a one-time code whenever you sign in from a new device
- If someone has your username and password for the related account, they cannot sign into your account without access to your text messages



# Something you have: Cell phone

SMS-based 2-factor authentication is better than nothing, but still not ideal because someone could steal your phone number or intercept your text messages

For example,

An attacker could impersonate you and move your phone number to a new phone

- In a “Port-out scam” a criminal pretends to be you and moves your current phone number to another cellular carrier
- In “SIM hijacking”, an attacker moves your phone number from your current SIM card to the attacker’s SIM card

This is a big problem!

- Many online accounts, including bank accounts, use your phone number as a two-factor authentication method. They won’t let you sign in without sending a code to your phone first.

But, after the porting scam or SIM hijacking has taken place, the attacker will receive that security code on their phone. They can use it to gain access to your financial accounts and other sensitive services.

# Something you have: Cell phone

- SMS-based 2-factor authentication is not ideal because someone could steal your phone number or intercept your text messages
  - It's one of the weaker things that you can have to authenticate, because your phone number is actually “something you lease” from the phone company, you don't actually own or control it
- For example, in the most likely attack
  - An attacker could impersonate you and move your phone number to a new phone in a [phone number porting scam](#)
- Alternatively, an attacker could intercept SMS messages intended for you
  - For example, they could spoof a cell tower near you, or a government could use its access to the cellular network to forward and capture your messages


# Something you have: Cell phone with one-time codes

- Hash (HMAC)-based one-time password (HOTP), [https://en.wikipedia.org/wiki/HMAC-based\\_One-time\\_Password\\_algorithm](https://en.wikipedia.org/wiki/HMAC-based_One-time_Password_algorithm)

HMAC = Hash Message Authentication Code


1. Message is concatenated with a symmetric key (not encrypted)
2. The combination is hashed resulting in a HMAC
3. The HMAC is appended to the message and sent to the receiver
4. The receiver concatenates the message with the symmetric key
5. The receiver hashes the combination and compares it to the HMAC received with the message, if the HMACs match the message is authenticated

Note: Authenticity and Integrity are achieved, but confidentiality is not



# Something you have: Cell phone with one-time codes

- Hash (HMAC)-based one-time password (HOTP), [https://en.wikipedia.org/wiki/HMAC-based\\_One-time\\_Password\\_algorithm](https://en.wikipedia.org/wiki/HMAC-based_One-time_Password_algorithm)
- Time-based one-time password (TOTP), [https://en.wikipedia.org/wiki/Time-based\\_One-time\\_Password\\_algorithm](https://en.wikipedia.org/wiki/Time-based_One-time_Password_algorithm)
- Drawback is that these can be phished, intercepted, and man-in-the-middle attacked



# Something you have: Universal Second Factor (U2F) security keys

- U2F security keys turn web authentication on its head
  - *Instead of the user having to authenticate to the website, U2F requires websites to authenticate to the U2F token*
- It takes people out of the authentication equation, making phishing impossible
- [Google eliminates phishing of its employees requiring all employees to use U2F](#)
  - Sites that let you use U2F: <https://www.dongleauth.info>



[https://en.wikipedia.org/wiki/Universal\\_2nd\\_Factor](https://en.wikipedia.org/wiki/Universal_2nd_Factor)


# Authentication – Something you are or do (“Biometrics”)

- Verifies an identity by analyzing a unique person attribute or behavior
- Most expensive way to prove identity, also has difficulties with user acceptance
- Many different types of biometric systems



# Authentication


Most common biometric systems:





# Authentication – Biometric Systems

During identity verification (i.e. authentication) the biometric system scans personal's physiological attribute or behavioral trait and compares the captured data to a record created in an earlier enrollment process



# Scanning fingerprint from display







# Authentication: Multi-factor

Multi-factor authentication refers to use of >1 factor:  
**Something the subject knows (“authentication by knowledge”)**  
+  
**Something the subject has (“authentication by ownership”)**  
+  
**Something the subject is (“authentication by characteristic”)**

Authentication system strength determined by the number of factors incorporated into the systems

- Implementations that use 2 factors are considered stronger than those that only use 1 factor
- Systems that incorporate all 3 factors are stronger than systems that incorporate 2 factors

*Example: An ATM machine requires both something you have (the ATM card) and something you know (the PIN)*

- *Both the card and pin on their own are weak*
- *Together they are strong!*

# Authentication: Multi-factor

<https://its.temple.edu/two-step-verification#128831>



⚠ SYSTEM STATUS | [TECH Center](#) | [Canvas](#) | [TUportal](#) | [OWLtech](#) | [Service Catalog](#) | 🔍

[GET CONNECTED](#) | [LABS & CENTERS](#) | [ACCOUNT INFORMATION](#) | [RESOURCES & HELP](#)

## Two Step Verification

Use Two Step Verification to access selected Temple websites.

### TABLE OF CONTENTS

- [Overview](#)
- [One-Time Setup](#)
- [Verification Options](#)
- [Turn On Extra Security for Temple Websites](#)
- [Set Up the Duo Mobile App](#)
- [FAQs](#)
- [Troubleshooting](#)
- [Support](#)

### Overview

To better protect your personal information, Temple is implementing an extra level of security on selected websites called **Two Step Verification**. It's called Two Step Verification because in order to access these sites, you will need:

1. your AccessNet username and password
2. one or more designated phones to further verify your identity

Two Step Verification is currently used on the [TUportal](#) Direct Deposit allocation and Dependents pages. Other websites containing sensitive information will follow.

To see how Temple's Two Step Verification works, preview a [quick video](#) that walks you through the process. (Note: If you are a student, follow the same instructions to log in to TUportal but click *Student Tools* instead of *Staff Tools*.)

### How to get started






#### One-Time Setup

Follow the instructions in the [One-Time Setup](#) section below to designate one or more phones in TUportal for the process.

Notes:

- The overall process works best using the latest versions of Chrome and Firefox.

Experts' advice:  
Aside from  
updating  
software, all  
involve  
authentication

SECURITY NONEXPERTS' TOP ONLINE SAFETY PRACTICES	VS	SECURITY EXPERTS' TOP ONLINE SAFETY PRACTICES
1. USE ANTIVIRUS SOFTWARE		1. INSTALL SOFTWARE UPDATES
2. USE STRONG PASSWORDS		2. USE UNIQUE PASSWORDS
3. CHANGE PASSWORDS FREQUENTLY		3. USE TWO-FACTOR AUTHENTICATION
4. ONLY VISIT WEBSITES THEY KNOW		4. USE STRONG PASSWORDS
5. DON'T SHARE PERSONAL INFORMATION		5. USE A PASSWORD MANAGER

# Agenda

- ✓ RSA Asymmetric Encryption Lab
- ✓ Identity and Authentication – a historic problem
- ✓ Identity and Authentication for controlling access to IT Assets
- ✓ Identification
- ✓ Authentication
  - ✓ Something you know
  - ✓ Something you have
  - ✓ Something you are
- ✓ Multi-factor Authentication