MIS 5206 Protection of Information Assets Unit/Class #1b

Understanding an Organization's Risk Environment



Agenda

- Readings
- Business context for data and information security
- Key concepts
 - Confidentiality, Integrity, Availability
 - Threats
 - Vulnerabilities
 - Risks
 - Risk mitigations
- Critical infrastructure
- Risk management standards and frameworks
- Next class


Readings

- Vacca Chapter 1 "Information Security in the Modern Enterprise"
- Vacca Chapter 2 " Building a Secure Organization"
- NIST Reading 1: "Framework for Improving Critical Infrastructure Cybersecurity"
- ISACA Risk IT Framework, pp. 1-42 1a

The value of business' data is at a peak

"A generation ago the asset base of US public companies was more than 80% tangible property" (e.g. raw materials, real estate, railroad cars...)

"Today... intangibles... account for more than 80% of listed company value"



Vacca 3rd Edition, pp. 3-4

Information Security Transformation

1970 data security examples

Guarding the photocopier Watching who went in and out of the front door

Today's data security must consider

Devices able to grab gigabytes of data and move them anywhere in the world in an instant

Laptops, tablets and smartphones with direct connection to company data are endpoints in a global network, creating thousands to millions of "front doors" leaving industry at its most vulnerable

What about information security has not changed over the years?



One thing has not changed over the years...

Human beings remain the primary vector for loss of corporate value AND

Humans also control the processes and technologies central to information security function that preserves corporate value



Key concepts

Information security means protecting information and information systems from:

- Unauthorized access, use, disclosure
 Confidentiality
- Unauthorized modification
 Integrity
- Disruption and destruction
 Availability



Threat



Potential for the occurrence of a harmful event such as a cyber attack



Vulnerability

Weakness that makes targets susceptible to an attack





Potential of loss from an attack

Risk Mitigation

Strategy for dealing with risk



MIS 5206 Protecting Information Assets

10

What is a threat?

Any thing that has the potential to lead to:

- Unauthorized access, use, disclosure
- Modification
- Disruption or Destruction

...of an enterprises' information and information systems



Physical

What is a threat...

Threats to information and information systems include:

- Purposeful attacks ("Human malicious")
- Human errors ("Human ignoramus")
- Structural Failures
- Environmental disruptions



Taxonomy of threat sources

- 1. Adversarial
- 2. Accidental
- 3. Structural
- 4. Environmental

NIST SP 800-30r1 "Guide for Conducting Risk Assessments" page 66

Type of Threat Source	Description	Characteristics
ADVERSARIAL - Individual - Outsider - Insider - Trusted Insider - Privileged Insider - Group - Ad hoc - Established - Organization - Competitor - Supplier - Partner - Customer - Nation-State	Individuals, groups, organizations, or states that seek to exploit the organization's dependence on cyber resources (i.e., information in electronic form, information and communications technologies, and the communications and information-handling capabilities provided by those technologies).	Capability, Intent, Targeting
ACCIDENTAL - User - Privileged User/Administrator	Erroneous actions taken by individuals in the course of executing their everyday responsibilities.	Range of effects
STRUCTURAL - Information Technology (IT) Equipment - Storage - Processing - Communications - Display - Sensor - Controller - Environmental Controls - Temperature/Humidity Controls - Temperature/Humidity Controls - Power Supply - Software - Operating System - Networking - General-Purpose Application - Mission-Specific Application	Failures of equipment, environmental controls, or software due to aging, resource depletion, or other circumstances which exceed expected operating parameters.	Range of effects
ENVIRONMENTAL - Natural or man-made disaster - Fire - Flood/Tsunami - Windstorm/Tornado - Hurricane - Earthquake - Bombing - Overrun - Unusual Natural Event (e.g., sunspots) - Infrastructure Failure/Outage - Telecommunications - Electrical Power	Natural disasters and failures of critical infrastructures on which the organization depends, but which are outside the control of the organization. Note: Natural and man-made disasters can also be characterized in terms of their severity and/or duration. However, because the threat source and the threat event are strongly identified, severity and duration can be included in the description of the threat event (e.g., Category 5 hurricane causes extensive damage to the facilities housing mission-critical systems, making those systems unavailable for three weeks).	Range of effects

Type of Threat Source	Description	Characteristics
ADVERSARIAL - Individual - Outsider - Insider - Trusted Insider - Trusted Insider - Group - Ad hoc - Established - Organization - Competitor - Supplier - Partner - Customer - Nation-State	Individuals, groups, organizations, or states that seek to exploit the organization's dependence on cyber resources (i.e., information in electronic form, information and communications technologies, and the communications and information-handling capabilities provided by those technologies).	Capability, Intent, Targeting



NIST SP 800-30r1 "Guide for Conducting Risk Assessments", page 66

Anatomy of an Attack

 Social engineering techniques target specific individuals Spear-phishing is a common technique used to lure targeted users into downloading initial-stage malware.

Threat landscape

II. Establish a beachhead

Initial-stage malware executes shellcode and calls home for further instructions.

III. Infiltration

Custom executables with objective-specific malware is downloaded. Remote commands are executed according to attacker objectives.

IV. Peristence

Attackers wait for opportune attack times. "Sleep" commands are often executed between "run" commands to avoid detection.

(McAfee, 2011)

V. Accomplish Objectives (data harvesting, sabotage, and more) Remote commands issued to extract data, modify applications, or sabotage systems.

- - 1. Attacker sends spear fishing e-mail
 - 2. Victim opens attachment
 - Custom malware is installed

Anatomy of an Attack

(MANDIANT, 2015)


- 3. Custom malware communicates to control web site
 - Pulls down additional malware
- 4. Attacker establishes multiple backdoors
- 5. Attacker accesses system
 - Dumps account names and passwords from domain controller
- 6. Attacker cracks passwords
 - Has legitimate user accounts to continue attack undetected
- 7. Attacker reconnaissance
 - Identifies and gathers data
- 8. Data collected on staging server
- 9. Data exfiltrated

10. Attacker covers tracts

- Assets Deletes files
 - Can return any time

Advanced threats usually maintain remote access to target environments for 6-18 months before being detected (i.e. they are persistent)

Threat landscape



Advanced threats usually maintain remote access to target environments for 6-18 months before being detected

Taxonomy of cybersecurity threat sources

Type of Threat Source	Description	Characteristics
ACCIDENTAL - User - Privileged User/Administrator	Erroneous actions taken by individuals in the course of executing their everyday responsibilities.	Range of effects

NIST SP 800-30r1 "Guide for Conducting Risk Assessments", page 66



17

Human nonmalicious threat examples and causes

COMPUTER **OPERATOR** ERRORS



DATA ENTRY

(INPUT) ERRORS

UPDATE OF WRONG FILE





PHYSICAL DAMAGE TO DISK MISPLACED DISK FILES

UNLOCKED TRASH CONTAINERS



TRUSTING MALICIOUS PEOPLE

Taxonomy of cybersecurity threat sources

Type of Threat Source	Description	Characteristics
STRUCTURAL - Information Technology (IT) Equipment - Storage - Processing - Communications - Display - Sensor - Controller - Environmental Controls - Temperature/Humidity Controls - Power Supply - Software - Operating System - Networking - General-Purpose Application - Mission-Specific Application	Failures of equipment, environmental controls, or software due to aging, resource depletion, or other circumstances which exceed expected operating parameters.	<image/>
NIST SP 800-30r1 "Guide for Conducting MIS 5206 Protecting Information Assets	Risk Assessments", page 66	

Structural Threat Examples

- Air conditioning failure
- Building collapse
- Water and sewer pipe breaks
- Failure of computer hardware
- Failure of fire alarms or smoke detectors
- Gas line explosions

...


• Power outages (brownouts, blackouts, transients, spikes, sags and power surges)

Taxonomy of cybersecurity threat sources

Type of Threat Source	Description	Characteristics
ENVIRONMENTAL - Natural or man-made disaster - Fire - Flood/Tsunami - Windstorm/Tornado - Hurricane - Earthquake - Bombing - Overrun - Unusual Natural Event (e.g., sunspots) - Infrastructure Failure/Outage - Telecommunications - Electrical Power	Natural disasters and failures of critical infrastructures on which the organization depends, but which are outside the control of the organization. Note: Natural and man-made disasters can also be characterized in terms of their severity and/or duration. However, because the threat source and the threat event are strongly identified, severity and duration can be included in the description of the threat event (e.g., Category 5 hurricane causes extensive damage to the facilities housing mission-critical systems, making those systems unavailable for three weeks).	Range of effects
NIST SP 800-30r1 "Guide for Conducting MIS 5206 Protecting Information Assets	Risk Assessments", page 66	


21

What is a Vulnerability?



What is a Vulnerability?

Any unaddressed susceptibility to a Adversarial, Accidental, Structural or Environmental threat is an information security vulnerability



Weakness in an information system, system security procedures, internal controls, or implementation that could be exploited or triggered by a threat source.

MIS 5206 Protecting Information Asse

Vulnerabilities

Inadequacies in any of these areas:

ID	FAMILY	ID	FAMILY
<u>AC</u>	Access Control	<u>PE</u>	Physical and Environmental Protection
<u>AT</u>	Awareness and Training	<u>PL</u>	Planning
<u>AU</u>	Audit and Accountability	<u>PM</u>	Program Management
<u>CA</u>	Assessment, Authorization, and Monitoring	<u>PS</u>	Personnel Security
<u>CM</u>	Configuration Management	<u>PT</u>	PII Processing and Transparency
<u>CP</u>	Contingency Planning	RA	Risk Assessment
<u>IA</u>	Identification and Authentication	<u>SA</u>	System and Services Acquisition
IR	Incident Response	<u>SC</u>	System and Communications Protection
MA	Maintenance	<u>SI</u>	System and Information Integrity
MP	Media Protection	<u>SR</u>	Supply Chain Risk Management

NIST Special Publication 800-53 Revision 5

Security and Privacy Controls for Information Systems and Organizations

JOINT TASK FORCE

This publication is available free of charge from: https://doi.org/10.6028/NIST.SP.800-53r5

September 2020 INCLUDES UPDATES AS OF 12-10-2020; SEE PAGE XVII



U.S. Department of Commerce Wilbur L. Ross, Jr., Secretary

National Institute of Standards and Technology Walter Copan, NIST Director and Under Secretary of Commerce for Standards and Technology

What is a Risk?

A measure of the potential impact of a threat resulting from an exploitation of a vulnerability

Potential loss resulting from unauthorized:

- Access, use, disclosure
- Modification
- Disruption or destruction
 - ... of an enterprises' information

Can be expresses in quantitative and qualitative terms



Physical

Information security risks


Economic impact and financial loss

- Replacement costs (software, hardware, other)
- Backup restoration and recovery costs
- Reprocessing, reconstruction costs
- Theft/crime (non-computer, computer)



- Loss of life
- Losses due to fraud, theft, larceny, bribery
- Impact of
 - lost competitive edge
 - lost data
 - lost time
 - lost productivity
 - lost business
- Bankruptcy
- Business interruption
- Frustration
- III will
- Injury
- Impacts of inaccurate data

An example of an IT risk model




NIST SP 800-30r1 "Guide for Conducting Risk Assessments", page 21


MIS 5206 Protecting Information Assets

Risk analysis with an IT risk model

0

	Туре	Threat Agent	Can exploit this vulnerability	Resulting in this impact
	Physical	Fire	Lack of fire extinguishers	Facility and computer damage, and possible loss of life
	Physical	Intruder	Lack of security guard	Broken windows and stolen computers and devices
	Technical	Contractor	Lax access control mechanisms	Stolen trade secrets
	Technical	Malware	Lack of antivirus software	Virus infection
•	Technical	Hacker	Unprotected services running on a server	Unauthorized access to confidential information
	Administrative	Employee	Lack of training	Unauthorized distribution of sensitive information
	Administrative	Employee	Lack of auditing	Uncontrolled invalid modifications to decision support data






NIST SP 800-30r1 "Guide for Conducting Risk Assessments", page 32

How to determine if risk is acceptable?

Likelihood x Impact



Quantitative definition of risk

financial method

Risk = Impact × Probability

 Risk is an "expected value", which is a quantitative measure of impact a threat event would have on the organization times the probability that it might happen

Annualize Loss Expectancy (ALE) = Single Loss Expectancy (SLE) X Annualized Rate of Occurrence (ARO)

ALE = SLE X ARO

Single Loss Expectancy (SLE) = Asset value X Exposure factor

- Calculations of SLE consider such things as:
 - o replacement cost of the asset
 - opportunity cost of delays because asset is no longer available
 - cost for purchasing credit monitoring for customers
 - fines and other economic impacts of the loss of confidentiality, integrity and availability of the information or information system
- Exposure factor is the % damage that a realized threat would have on the asset

Annual Rate of Occurrence (ARO) is a probability indicating how many times this is expected in one year?

Risk Management Techniques

Once threats and risks are identified, each risk can be managed by:


- 1. Avoidance
- 2. Acceptance
- 3. Transfer
- 4. Mitigation ("Controls")

How can we make a computer 100% secure?

3 Golden Rules to ensure computer security:

- 1. Do not own a computer
- 2. Do not power it on
- 3. Do not use it

Cryptographer who helped develop the Unix computer operating system, which controls many of the world's computers and touches almost every aspect of modern life



Robert Morris Chief Scientist, National Security Agency's (NSA) National Computer Security Center, 1986-1994

Risk mitigations – Which are physical, technical and administrative controls ?

- Antivirus software
- Authentication/authorization servers
- Biometrics (thumbprints, retina scans, voice, face)
- Callback modems
- Canine patrols
- Card-activated locks
- Certificate revocation list
- Code of sanctions against vendors/suppliers/contractors
- Color-coded ID badges
- Content scanners
- Electronic scanning devices
- Encoded data (cryptography; public key infrastructure, private key infrastructure
- Fences
- Role-based access control
- Segregation of duties


MIS 5206 Protecting Information Assets

- Redundant data center
- Corporate code of conduct
- Internal audit
- Grounds lighting
- Intrusion detection software
- Locked doors, terminals
- Motion-detection devices
- Firewalls
- Change management
- Penetration testing
- Placement of authentication / authorization / database / accounting servers in secure location
- Receptionists
- Residue controls disintegrator / shredders
- Secure file wipes
- Secure passwords
- Single sign-on
- Environmental controls (air conditioners, humidifiers)

Risk mitigations – Physical – Technical - Administrative

- Antivirus software
- Authentication/authorization servers
- Biometrics (thumbprints, retina scans, voice, face)
- Callback modems
- Canine patrols
- Card-activated locks
- Certificate authority
- Code of sanctions against vendors/suppliers/contractors
- Color-coded ID badges
- Content scanners
- Electronic scanning devices
- Encoded data (cryptography; public key infrastructure, private key infrastructure
- Fences
- Role-based access control
- Segregation of duties
- Redundant data center

- Corporate code of conduct
- Internal audit
- Grounds lighting
- Intrusion detection software
- Locked doors, terminals
- Motion-detection devices
- Network Firewalls
- Change management
- Penetration testing
- Placement of authentication / authorization / database / accounting servers in secure location
- Receptionists
- Residue controls disintegrator / shredders
- Secure file wipes
- Secure passwords
- Single sign-on
- Environmental controls (air conditioners, humidifiers)



ISACA's RiskIT Framework

- ISACA's Risk IT Framework is useful to guide an organization's approach to trading IT Risk for IT value
- Also guides implementing IT governance in enterprises adopting COBIT as their IT governance framework for risk management and control
- COBIT

Control OBjectives for Information and related Technologies

IT governance framework and supporting toolset enabling managers to bridge the gap between business risks, risk control requirements, and technical issues

The RiskIT Framework


Groups key activities into three domains

Provides guidance on:

- Key activities within each process,
- Responsibilities for the process, information flows between processes
- Performance management of the process




The RiskIT Framework



The Risk IT framework is about trading off IT value with IT risk—in other words... business risk related to the use of IT

 The connection to business is founded in the principles on which the framework is built, i.e., effective enterprise governance and management of IT risk



IT risk is business risk

- ..and is associated with the use, ownership, operation, involvement, influence and adoption of IT solutions for the business
- Consists of IT-related events and conditions that could potentially impact the business
 - Can occur with both uncertain frequency and magnitude




Create challenges in meeting strategic goals and objectives

Critical Infrastructure

1996 Presidential Executive Order identified critical infrastructure needing protection...

"Certain national infrastructures are so vital that their incapacity or destruction would have a debilitating impact on the defense or economic security of the United States"

- 1. Water supply systems
- 2. Transportation
- 3. Gas and oil storage and transport
- 4. Telecommunications
- 5. Electrical power systems
- 6. Banking and finance
- 7. Emergency services
- 8. Continuity of government



1993 World Trade Center bombing Part of terrorism in the United States Interpretation of the United States Underground damage after the bombing Location World Trade Center

New York City, New York, U.S.
Q 40.711452°N 74.011919°W
February 26, 1993; 26 years ago 12:17:37 p.m. (UTC-05:00)
World Trade Center
Truck bombing, mass murder
6
1,042
Ramzi Yousef, Eyad Ismoil, and co-conspirators
American foreign policy U.S. support for Israel

(<u>PPD-21</u>)

Presidential Policy Directive on Critical Infrastructure Security and Resilience (PPD-21) issued in 2013 identified...

16 U.S. Critical Infrastructure Sectors needing protection



MIS 5206 Protecting Information Assets

https://www.cisa.gov/critical-infrastructure-sectors

Critical Infrastructure Information –data that can be used in either physical or computer-based attack that directly or indirectly


- Affects viability of a facility or critical infrastructure
- Threatens public health or safety
- Harms commerce
- Violates governmental laws

Protected System –any physical or computer-based system, information or data, process or procedure that directly or indirectly affects the viability of a facility or critical infrastructure



Critical Infrastructure Sector-Specific Plan

Each sector has a sector-specific plan that details how the National Infrastructure Protection Plan is implemented through government and private sector partnerships to work together to manage risks and achieve security and resilience outcomes



Financial Services Sector-Specific Plan 2015

	Information Sharing						
GOAL 1	Implement and maintain structured routines for sharing timely and actionable information related to cybersecurity and physical threats and vulnerabilities among firms, across sectors of industry, and between the private sector and government.						
	1. Improve the timeliness, quality, and reach of threat and trend information shared within the sector, across sectors, and between the sector and government.						
PRIORITY	2. Address interdependencies by expanding information sharing with other sectors of critical infrastructure and international partners.						
	3. Accelerate the sharing of information through structured information sharing processes and routines.						

Best Practices

Improve risk management capabilities and the security posture of firms across the Financial Services Sector and the service providers they rely on by encouraging the development and use of common approaches and best practices.

- Promote sector-wide usage of the NIST Cybersecurity Framework, including among smaller and medium sized institutions.
- 2. Encourage the development and use of best practices for managing third-party risk.

Incident Response and Recovery

GOAL 3	Collaborate with the homeland security, law enforcement, and intelligence communities; financial regulatory authorities; other sectors of industry; and international partners to respond to and recover from significant incidents.
PRIORITY	 Streamline, socialize, and enhance the mechanisms and processes for responding to incidents that require a coordinated response.
Phionitr	2. Routinely exercise government and private sector incident response processes.

Policy Support

GOAL 4		Discuss policy and regulatory initiatives that advance infrastructure security and resilience priorities through robust coordination between government and industry.
	1.	Identify, prioritize, and support government research and development funding for critical financial infrastructure protection.
riority	2.	Identify and support policies that enhance critical financial infrastructure security and resilience, including a more secure and resilient Internet.
	3.	Encourage close coordination among firms, financial regulators, and executive branch agencies to inform policy development efforts.

GOAL 2

PRIORITY

Critical Infrastructure Sectors



MIS 5206 Protecting Information Assets

Transportation sector examples

46

Frequent Hacks Into Highway Dynamic Message Signs






ZOMBIES

Even "Isolated" Legacy Systems Are Vulnerable

14 Year Old Boy Derails Polish Trams, January 2008



- 4 light rail trains derailed, 12 people hurt
- Used modified television remote controller
- Locks disabling switch when vehicle present not installed






Cyber Security is One of the Most Serious Potential Risks in Transportation

- Increasing dependence on information systems and networks
- Risks are significant and growing
- Need a comprehensive approach
- Need a culture/ecosystem of cyber security (like fire safety)
- Cyber security is necessary for transportation mobility and safety!





Critical Infrastructure Sectors



MIS 5206 Protecting Information Assets

Water/Wastewater sector – Attack example 2001

Vitek Boden worked for Hunter Watertech, an Australian firm that installed SCADA radio-controlled sewage equipment for the Maroochy Shire Council in Queensland, Australia (a rural area of great natural beauty and a tourist destination)

- Applied for a job with the Maroochy Shire Council
- Walked away from a "strained relationship" with Hunter Watertech
- The Council decided not to hire him
- Boden decided to get even with both the Council and his former employer
- Maroochy Shire Council had no existing information security policies, procedures, nor cyber security defenses
- On at least 46 occasions Boden issued radio commands to the sewage equipment
 - Caused 800,000 liters of raw sewage to spill out into local parks, rivers, and the grounds of a Hyatt Regency hotel
 - Marine life died, the creek water turned black, the stench was unbearable for residents



MIS 5206 Protecting Information Assets

50



ISO/IEC 27001 Standard

Considered a leading example of risk management for information security

- Created in 2005 and updated in 2013 by agreement between
 - International Organization for Standardization (ISO)
 - International Electro-technical Commission (IEC)
- Specific requirements for security management systems and controls
- Firms can apply to be audited and certified as ISO/IEC 27001 compliant

Federal Information Security Management Act (FISMA) of 2002 Federal Information Security Modernization Act (FISMA) of 2014

Recognize importance of information security to the economy and national security

- Require each government agency to provide information security
 - For information and information systems supporting their operations and assets
 - Including those provided or managed by another agency, contractors, or other source



Other short titles	Confidential Information Protection and Statistical Efficiency Act of 2002
Long title	An Act to strengthen Federal Government information security, including through the requirement for the development of mandatory information security risk management standards.
Acronyms (colloquial)	FISMA
Nicknames	E-Government Act of 2002

FISMA - Federal Information Security Management Act defines

"Information security" as protection of...

NIN I

- Confidentiality, integrity, and availability ("CIA") of data and information
- Data, information and information systems from unauthorized...
 - Access, use, disclosure = **Confidentiality**
 - Modification = Integrity
 - Disruption or destruction = Availability

What is NIST?

National Institute of Standards and Technology U.S. Department of Commerce

- Non-regulatory agency of the United States Department of Commerce
- Measurement standards laboratory

Mission: *Promote innovation and industrial competitiveness*

- NIST's activities organized as laboratory programs:
 - Nanoscale Science and Technology, Engineering, Neutron Research, Material Measurement, Physical Measurement...
 - Information Technology

FISMA made NIST is responsible for developing standards, guidelines, and associated methods and techniques for providing adequate information security for all agency operations and assets (excluding national security systems) NIST Special Publication 800-39

NIST

Managing Information Security Risk

Organization, Mission, and Information System View

National Institute of Standards and Technology U.S. Department of Commerce

JOINT TASK FORCE TRANSFORMATION INITIATIVE

INFORMATION SECURITY


Computer Security Division Information Technology Laboratory National Institute of Standards and Technology Gaithersburg, MD 20899-8930

March 2011




U.S. Department of Commerce Gary Locke, Secretary


National Institute of Standards and Technology Patrick D. Gallagher, Director













MIS 5206 Protecting Information Assets



- Risk Capacity = "objective magnitude or amount of loss than an enterprise can tolerate without risking its continued existence"
- **Risk Appetite** "generally reflects a board or management decision regarding how much risk is desirable"






Diagram show a relatively sustainable situation

- Risk appetite is lower than risk capacity
- Actual risk exceeds risk appetite, but remains below risk capacity






Diagram show an unsustainable situation

- Risk appetite is defined by management as a level beyond risk capacity (i.e. management is OK to accept risk and absorb loss
- Actual risk routinely exceeds risk capacity, despite remaining below risk appetite level most of the time

MIS 5206 Protecting Information Assets





NIST Cybersecurity Framework

Framework for Improving **Critical Infrastructure Cybersecurity**

Version 1.1

National Institute of Standards and Technology

TIER 3 INFORMATION SYSTEM (Environment of Operation) Refers to and builds on many principles of the ISO/IEC 27001 standard (and others)

Goes way beyond IT and physical security environment

...by also including:

- Governance and management
- Staff policies and procedures
- Training
- Supply chain management



Functions	Categories
IDENTIFY	
PROTECT	
DETECT	
RESPOND	
RECOVER	60

NIST Cybersecurity Framework

Framework for Improving Critical Infrastructure Cybersecurity

Version 1.1

National Institute of Standards and Technology

April 16, 2018





NIST Cybersecurity Framework


Function Unique Identifier	Function	Category Unique Identifier	Category			
ID	Identify	ID.AM	Asset Management			
		ID.BE	Business Environment			
		ID.GV	Governance			
		ID.RA	Risk Assessment			
		ID.RM	Risk Management Strategy			
		ID.SC	Supply Chain Risk Management			
PR	Protect	PR.AC	Identity Management and Access Control			
		PR.AT	Awareness and Training			
		PR.DS	Data Security			
		PR.IP	Information Protection Processes and Procedures			
		PR.MA	Maintenance			
		PR.PT	Protective Technology			
DE	Detect	DE.AE	Anomalies and Events			
		DE.CM	Security Continuous Monitoring			
		DE.DP	Detection Processes			
RS	Respond	RS.RP	Response Planning			
		RS.CO	Communications			
		RS.AN	Analysis			
		RS.MI	Mitigation			
		RS.IM	Improvements			
RC	Recover	RC.RP	Recovery Planning			
		RC.IM	Improvements			
		RC.CO	Communications			


Cybersecurity Maturity Model Certification (CMMC) levels



Is used to assess an organization's cybersecurity capability maturity level, and recommend steps for improvement

MIS 5206 Protecting Information Assets








The Quick Start Guides build on the NIST standards and guidance, consolidate information from various NIST publication and provide sample ways to implement the standards and guidelines.

The figure below can be used to link to the relevant FIPS, SPs, and additional resources for the RMF steps.




The links below point to supporting materials for each RMF Step including *Frequently Asked Questions, Roles and Responsibilities Charts, Tips and Techniques (Organization and System)*, and *Perspectives (Management, Organization, and System)*.

• 0 • 5 • 1 • <i>F</i> • <i>F</i>	Prepare Step Categorize Step Select Step Mplement Step Assess Step Authorize Step
The Qu results	Monitor Step Jick Start Guides provide implementation guidance and examples on how to plan for, conduct, and document the . While the guides provide examples and sample documentation, they are not mandatory nor do they prescribe ed formats. Additional templates are available from other sources.

MIS 5206 Protectina Information Asset

S PROJECT LINKS
Overview
FAQs
Events
Publications
Presentations
ADDITIONAL PAGES
Risk Management Framework (RMF) Overview
Authorization and Monitoring
Security Controls
Security Categorization
Contacts
FISMA Background
Mailing List
NIST Security Control Overlay Repository
Overlay Overview
SCOR Submission Process
Government-wide Overlay Submissions Public Overlay Submissions
NIST-developed Overlay Submissions
SCOR Contact
Publication Schedule
Risk Management Framework: Quick Start Guides
Categorize Step
Prepare Step
Monitor Step
Select Step
Security Assessment
Assessment Cases - Download Page
Assessment Cases Overview
RMF Training
Security Configuration Settings
LONTACTS
Ron Ross
ron.ross@nist.gov
Victoria Yan Pillitteri
victoria.yan@nist.gov
Kelley Dempsey kelley.dempsey@nist.gov



NIST Cybersecurity Framework's Core Functions




Figure 1: Framework Core Structure

Functions	Categories	Function Unique Identifier	Function	Category Unique Identifier	Category
		ID	Identify	ID.AM	Asset Management
IDENTIFY				ID.BE	Business Environment
				ID.GV	Governance
				ID.RA	Risk Assessment
				ID.RM	Risk Management Strategy
PROTECT				ID.SC	Supply Chain Risk Management
		PR	Protect	PR.AC	Identity Management and Access Control
				PR.AT	Awareness and Training
DETECT				PR.DS	Data Security
DETECT				PR.IP	Information Protection Processes and Procedures
				PR.MA	Maintenance
				PR.PT	Protective Technology
RESPOND		DE	Detect	DE.AE	Anomalies and Events
REOPOND				DE.CM	Security Continuous Monitoring
				DE.DP	Detection Processes
		RS	Respond	RS.RP	Response Planning
RECOVER				RS.CO	Communications
				RS.AN	Analysis
				RS.MI	Mitigation
				RS.IM	Improvements
MIS 5206 Protecting Information Assets		RC	Recover	RC.RP	Recovery Planning
				RC.IM	Improvements 66
				RC.CO	Communications


Cybersecurity Framework's Capability Maturity Tiers

	Risk Management Process	Integrated Risk Management Program	External Participation
Partial	 Not formalized Reactive 	 Limited awareness Irregular risk management Private information 	No external collaboration
Risk Informed	 Approved practices Not widely use as policy 	 More awareness Risk-informed, processes & procedures Adequate resources Internal sharing 	Not formalized to interact & share information
Repeatable	 Approved as Policy Update regularly 	 Organization approach Risk-informed, processes & procedures defined & implemented as intended, and reviewed Knowledge & skills 	Collaborate Receive information
Adaptive	Continuous improvement	 Risk-informed, processes & procedures for potential events Continuous awareness Actively 	Actively shares information

In summary...

The RiskIT Framework

Risk Governance





Next time: Case Study #1

"Snowfall and a stolen laptop..."

Agenda

- Business context for data and information security
- ✓ Key concepts
 - ✓ Confidentiality, Integrity, Availability
 - ✓ Threats
 - ✓ Vulnerabilities
 - ✓ Risks
 - ✓ Risk mitigations
- ✓ Critical infrastructure
- ✓ Risk management standards and frameworks
- ✓ Next class

MIS 5206 Protection of Information Assets Unit #1b

Understanding an Organization's Risk Environment

